SUNY
ANNUAL UNDERGRADUATE
RESEARCH CONFERENCE

145

The New York Slave Rebellion of 1712 and the New York Slave Conspiracy of 1741 and the lessons they hold.

[1]
[1]Suffolk County Community College

Morning Oral Presentation-3, Sagtikos 123, April 26, 2024, 9:30 AM - 10:30 AM

My research, conducted under the guidance of Dr. Marshall, delves into New York's deep-rooted history of slavery, shedding light on slavery beyond the well-known Southern plantation narrative. It was a system that occurred in the North, and thrived here in New York, before its abolition on July 4, 1827. What should have been a reckoning, once the bones of the enslaved were uncovered with the discovery of the Negroes Burial Ground in 1991; New York's slave past continued to be forgotten for another three decades.
The time to confront the past has now come. I will begin that narrative by tying in some contemporary place names with slavery before delving into the past and discussing the introduction of slavery under Dutch rule, where slaves experienced a system that was quite different from the one, they would experience under English domination. I will discuss the New York Slave Rebellion of 1712 and the New York Slave Conspiracy of 1741. These uprisings were desperate attempts by the slaves to resist the oppressive conditions, while futile, they also provoked severe punitive measures that further highlighted the systemic cruelty of the time.

My research illustrates how New York's early affluence was built on the exploitation of enslaved Africans. Acknowledging these forgotten chapters of New York's history is crucial for addressing racial disparities and moving towards a more equitable society in the future. The past few years have proven that slavery is no longer just a relic of the past, but a shadow that lingers over the contemporary issues of our time. I will give a narrative that is interwoven with facts examining New York's slave history. I will let the audience decide if my presentation underscores the necessity for a comprehensive understanding of America's slave past to foster true social reconciliation and justice.

148

Closeness After Texting Versus In-Person Interactions

_____[1], _____[1], _____[1], _____[1], _____[1]
[1]SUNY Plattsburgh

Morning Oral Presentation- 1, Sagtikos 145, April 26, 2024, 9:30 AM - 10:30 AM

This experiment examined interpersonal closeness among unacquainted college students who were paired and randomly assigned to communicate either in person or remotely by text. The participants spent 45 minutes asking and answering closeness-generating questions (Aron et al., 1997) that escalated in self-disclosure. Previous research has examined the modality of interpersonal communication and found that more sensory-rich modalities, like video and virtual reality, resulted in closer connections between strangers compared to less sensory modalities, like texting (Agnew et al., 2022). In the current study, the students engaged in their 45-minute interaction and then individually answered survey questions that included eight measures of closeness to their partner. We computed an overall closeness score by summing the responses to those eight questions (Cronbach's alpha = .87). The mean closeness score for the in-person participants was 43.8 (s = 7.9). The mean closeness score for the texting participants was 41.2 (s=7.2). The difference between these means is in the predicted direction and approaches significance, $t(88) = 1.6$, $p = .11$. Two weeks after participation, responses to an anonymous survey found that compared to the texting pairs, the in-person participants reported a non-significant trend to have been more likely to have been contacted by their partners, to have made contact with their partners, to feel closer to their partners, and to have a desire for a closer relationship. Given the importance of developing interpersonal relationships among college students, this research provides practical applications to increase students' social connections which can enhance the sense of community on campus as well as students' mental well-being.

156

The Kondo E□ect through small doping of Ce in LaSbTe

_____[1] and Jack W. Simonson[1]
[1]Farmingdale State College

Morning Oral Presentation- 2, Sagtikos Theatre, April 26, 2024, 9:30 AM - 10:30 AM

The Kondo effect is a phenomenon observed in solid-state physics that occurs in metals and semiconductors containing magnetic impurities, such as atoms with unpaired electron spins. At high temperatures, these magnetic impurities scatter conduction electrons, leading to an increase in electrical resistance. However, as the temperature decreases, an unexpected decrease in resistance occurs. This counterintuitive behavior is the hallmark of the Kondo effect.

In this work, we report on the Kondo effect in a compound with the nominal formula Ce(x)La(1-x)SbTe and nominal Cerium content x = 0.1. Our choice of elements was meticulously guided by their exceptional ability for homogenous mixing in solid state environments. Notably, among these elements, only Cerium (Ce) harbors a magnetic moment, while the other three constituents remain nonmagnetic. This selection yields a distinct scenario: a system characterized by the nearly random dispersion of magnetic impurities amidst a nonmagnetic metallic host. Such a configuration offers a unique platform for probing the intricacies of the Kondo effect, where magnetic impurities interact with conduction electrons in a complex interplay, significantly influencing the alloy's properties.

The incorporation of a small amount of Cerium (Ce) into LaSbTe will be achieved through crystal growth. Subsequently, these crystals will undergo meticulous analysis using X-ray diffractometry to ascertain their structural characteristics. Additionally, various properties of the crystals will be systematically measured to comprehensively understand their behavior.

223

E□ect of pH on Superoxide Generation upon UVA Irradiation of 6-Thioguanine

[1]

[1]SUNY Old Westbury

Morning Oral Presentation- 2, Sagtikos Theatre, April 26, 2024, 9:30 AM - 10:30 AM

Numerous illnesses, such as cancer, neurological disorders, and cardiovascular ailments are linked to this oxidative damage caused by superoxide. Due to 6-thioguanine's incorporation into DNA during replication, it has been investigated for its potential as an anti-cancer drug because it can impair cell development and disturb the proper functioning of the genetic code. Normal cells have a pH of 7.2 in the intracellular space and a pH of 7.4, but cancer cells have a pH of 6.7–7.1 in the extracellular space. This study monitors the effect of pH on superoxide generation on UVA-induced 6-thioguanine (6-TG) photosensitization in the presence and absence of glutathione (GSH). To do this solution of GSH, Nitro blue tetrazolium chloride (NBT), 6TG, and water will be irradiated, and they will be altered so each vial has a pH of 1-14. By irradiating them, the superoxide's can be captured in the NBT complex where their absorbance can be measured with a photo spectrometer. Each solution was run over the pH range of 1–14 at the ideal wavelength of 555 nm to determine the absorbance. 6-thioguanine can start a complex chain of photochemical processes that create superoxide when exposed to UVA light. In this experiment, GSH keeps the energy pathway going by reducing the inactive 6-TG so that the generation of superoxide is maximized. The NBT complex captures the superoxide and shows a blow color when superoxide is present in the solution. It could be seen that there is an increase in superoxide production at more basic pH's showing that basic environments enhance the production of superoxides. This means there is an increase in superoxide production as the solution goes up the pH scale from acidic to basic A pattern is seen at the wavelength 555 nm, which is the peak wavelength at which the NBT complex traps superoxides. A minimal absorbance of 0.085 is found at pH 1, while a maximum absorbance of 1.355 is found at pH 14. This is significant because these results can help explain not only thiol-regulation in a biological system but chemoprevention of cancer.

228

E□ects of crystallographic phase transitions on the thermodynamic properties of CoIn2

_____[1], Simonson J[1]
[1]SUNY Farmingdale State College

Morning Oral Presentation- 2, Sagtikos Theatre, April 26, 2024, 9:30 AM - 10:30 AM

We investigate the results of crystallographic phase transitions and their effects upon the thermodynamic properties of CoIn2. We specifically observed for the first time a change in crystallographic symmetry related to an intermediate phase. Both the high temperature (300K, orthorhombic) and low temperature (90K, monoclinic) phases were studied in previous experimental reports. We synthesized the material through single crystal flux growth and double induction melting techniques, and we characterized the structure via single crystal X-ray diffraction. We refined X-ray diffraction data in the CrysAlisPro program, while the structure and goodness of fit were solved in Jana 2006 and VESTA. In this intermediate phase, we discovered that CoIn2 remained orthorhombic but was the high temperature space group Fddd. We showed conclusively that this material has two structural transitions at 195 K and at 205 K and a direct transition from orthorhombic Fddd to a monoclinic C2/c.

255

Training Automated Speech Recognition Systems to Code Switch using Large Language Models

[1]SUNY Old Westbury

Morning Oral Presentation- 1, Sagtikos 145, April 26, 2024, 9:30 AM - 10:30 AM

Code-switching refers to the linguistic behavior of individuals who fluently speak multiple languages, transitioning between two or more languages within a single conversation. People code-switch to express themselves accurately in a language other than their current language. In the Hispanic community, code-switching is a complex problem, as low-literacy Hispanics do not feel confident fully communicating in English, which installs a barrier between proper communication when English is the expected language to be spoken. Low-literacy Hispanic's main communication form is speech, so there would be a mix of English and Spanish. Intelligent tutoring systems (ITSs) could be used to support code-switching Hispanics. ITS simulates the role of human tutors in certain subjects, employing constructivist education methods, prompting thorough explanations, and delivering feedback. ITSs fundamentals heavily rely on automatic speech recognition (ASR). ASR can process human speech and then produce writing. This study focuses on collecting code-switching data, performing some initial analysis with code-switched data, and conducting experiments with Whisper. Whisper is an ASR system by OpenAI that enables transcription in multiple languages. We used Whisper to transcribe code-switching conversational data that also has a human transcription. Our findings indicate Whisper could not accurately generate the transcriptions. Once we verified the accuracy of the human transcription and compared it with the Whisper-generated transcription, we concluded Whisper was not a reliable transcription tool. It is essential for ASRs to accurately recognize code-switching so the ITS can effectively be used as a personalized tutor. This calls for an ASR system that better fits interactions of low literacy populations in a tutoring system and models that can handle and process code-switching to be made. With our

126

Safe Spaces in Benjamin Alire Sáenz's Aristotle & Dante Discover the Secrets of the Universe

[1]
[1]Suny Brockport

Morning Oral Presentation- 4, Sagtikos 145, April 26, 2024, 10:45 AM - 11:45 AM

Benjamin Alire Sáenz's Aristotle & Dante Discover the Secrets of the Universe follows two young boys who navigate their queer sexualities in El Paso, Texas during the late 1980s. During a time when "safe spaces" for queer folks, as we recognize them today, were nearly nonexistent, Aristotle and Dante are limited to finding solstice within liminal spaces of natural life. Liminal spaces such as water and the night sky giving way to outer space are paramount in this text, and when examining the namesakes of the central characters, the use of these spaces becomes much more intentional in the text. Aristotle's philosophies on space and Dante's tale of Narcissus seep into Sáenz's text, molding the way the central characters perceive and utilize these spaces within the text.

140

Senior design project of the R.O.S.S.I.E. submarine

_____[1], _____[1]
[1]SUNY New Paltz

Morning Oral Presentation -6, Sagtikos 123, April 26, 2024, 10:45 AM - 11:45 AM

In this project, our aim is to develop a remotely operated vehicle (ROV) tailored for efficient, accurate, and cost-effective environmental data collection. Our ROV integrates key sensors, including strain gauges for pressure and depth, temperature, pH, turbidity, current, and potentially lidar/sonar and proximity sensors. Real-time data acquisition is facilitated, enabling comprehensive monitoring and study of underwater ecosystems and environmental conditions. The control system design prioritizes seamless maneuverability and precise data collection, empowering the ROV to navigate complex underwater terrains.

Throughout the project's initial phase (SD1), we successfully implemented a cohesive sensor integration and data acquisition and ROV control system, uncovering valuable insights into previously inaccessible underwater realms. Our focus on diverse underwater environments demonstraect,MC rs. Real-timct,MC r-2.2 quis1le ution, empowering miwattrol systemllmencve sl

154

Promoting Campus Fitness Center Use with Matched Buddies and an In-Person Tour

_____[1], _____[1], _____[1], _____[1], _____[1]
[1]SUNY Plattsburgh

Morning Oral Presentation- 4, Sagtikos 145, April 26, 2024, 10:45 AM - 11:45 AM

Extensive research has recognized that consistent exercise is key to physical, social, and mental health (Calestine et al., 2017; Ji & Zheng, 2020). However, less research has examined how to successfully encourage exercise, especially among samples who don't exercise regularly. Researchers have reported that exercise typically decreases among students after high school (Calestine et al., 2017). The current study was designed to examine a strategy that could be easily implemented to encourage fitness center use on a college campus. College student participants were randomly assigned to one of three experimental conditions: receiving a group tour of the fitness center, being matched with a "fitness buddy" who holds similar exercise interests and taking the fitness center tour together, or being on a waitlist for a future tour. We predicted that participants who received the tour with a potential fitness buddy would have the strongest intentions to use the college fitness center. The results supported this prediction. A one factor ANOVA revealed a significant effect for tour type, $F(2, 109) = 3.31$, $p = .04$. A post hoc LSD test was conducted. Participants who went on a tour with a matched fitness buddy reported significantly greater intent to use the fitness center in the upcoming week than those on the tour waitlist ($p = .02$). We also intend to examine follow-up fitness center records to determine if intentions coincide with actual use. Recreation and athletics administrators are encouraged to apply these research findings to boost student use with their facilities, consequently elevating their physical fitness as well as their social connections and mental well-being.

158

The E□ects of Goal Setting and Social Norms on Commitment to Attendance

_____[1], _____[1], _____[1], D'Elia S[1]
[1]State University of New York at Plattsburgh

Morning Oral Presentation- 4, Sagtikos 145, April 26, 2024, 10:45 AM - 11:45 AM

In light of the COVID-19 pandemic's negative impact on class attendance (Weijers et al., 2022), we examined strategies to increase in-person college class attendance. The current study examined two persuasive factors: goal setting and social norms. This experiment was a 2 (attendance goal vs. general academic goal) x 2 (norm to attend vs. no norm) experimental design. Participants were randomly assigned to one of the four experimental conditions presented in a Google Form survey. We used inter-rater reliability to measure participants' open-ended responses to assess the specificity of their goals related to attending class. We were also provided access to attendance records for two weeks following our experiment. We predicted that the attendance norm and attendance goal condition would prompt greater attendance and greater specificity of their attendance goals. While we did not find support for that prediction, we did find a significant norm x goal interaction for the measure of participants' specificity of their attendance goals, $F(1, 87) = 5.5$, $p = .02$. For students presented with the attendance norm, there was no difference in the specificity of their attendance goals depending on the type of goal they set. However, students presented with no norm had greater specificity of their attendance goals if they made an attendance goal compared to a general academic goal. The current study was limited by the variability of the participating classes' meeting dates (which included exam dates and missing attendance records). We encourage future researchers to take advantage of data-based persuasion theories to enhance college student attendance which is a key factor in academic success.

166

How Did the Pandemic A□ect the College-You?

[1]

[1]SUNY Old Westbury

Morning Oral Presentation -6, Sagtikos 123, April 26, 2024, 10:45 AM - 11:45 AM

The COVID-19 pandemic had unprecedented effects on society. It brought about times of financial hardship, health concerns, food insecurity, and legal concerns globally, and in the US, it disproportionately affected immigrant communities (Clark et al., 2020; Solheim et al., 2022; Kchhar & Bennet, 2021). It changed the learning environments across the educational spectrum, and children of immigrants disproportionately experienced these negative effects (Soria et al., 2020). Neuwirth et al (2020) discuss the need to address these issues for first-generation and minority students and suggest that education has still not recovered from these extraordinary disruptions. The present study examines the continued effects of the pandemic on the academic pursuits of first-generation and minority college students and the challenges faced. As a first-generation college student, I experienced the educational, social, and financial dislocation caused by the pandemic, and know that many of these effects persist. My personal experiences such as adapting to classes online, studying while at the same time coping with the financial crisis of parental unemployment, taking on additional hours at work and the ways in which these challenges persist, motivated me to design this study. Consistent with recent research, preliminary data from our study finds that disruptions in the learning environment were particularly detrimental to first-generation college students. Students report that the challenges persist to this day. For example, while many first-generation students report serious difficulties with online courses which were necessitated by the pandemic, they experienced lowered academic performance and motivation, however, they still are enrolling in online courses because it enables them to work and continue to contribute to family finances. Students also report that while there was some support for dealing with the virtual classroom, these supports have been severely curtailed. The data from this study indicates that there needs to be more nuanced academic and financial support systems provided on campuses to support these students.

182

Enhancing Prime Editing: Re□ning Techniques and E□ciency with Zebra□sh Models for Human Genetic Disorders

Basharat R
[1]Stony Brook University

0 R U Q L Q J 2 U D O 3 U H V H Q W D W L R Q April 26, 2024, 10:45 AM-11:45 AM

Genome editing has both widespread clinical applications and uses for developing animal models of human disorders. Precise genomic editing methods to correct and study pathogenic alleles in-vivo has been impeded by limitations in current technologies, such as off-target effects and inefficiencies in addressing all types of mutations. Prime editing (PE), a novel ‘search-and-replace’ genome editing strategy, promises to overcome these barriers by enabling targeted insertions, deletions, and all 12 types of base-to-base conversions without double-strand DNA breaks (DSBs) or the need for donor DNA templates. PE utilizes a bifunctional Cas9 DNA nickase fused : Ree insertions, 480051051argeted i e thrEheM th.rco,

194

Neurodevelopmental Lead Exposure Causes Disruptions in GABAergic Inhibitory Signals: Understanding Brain Excitability Seizure Problems Through Seizure The Rat Model

_____[1,2], Neuwirth L[2,3]
[1]SUNY Old Westbury Dept. on Lrj/TT0 12 d Westbury Dept. on LtaosD 58 > Researchng stitutetpmr

279

12

Analyzing Selection Biases by Line-of-Sight Structure in Strong Lensing

[1]

[1]Stony Brook University Department of Physics and Astronomy

Afternoon Oral Presentation- 2, Sagtikos Theatre, April 26, 2024, 1:45 PM - 2:45 PM

Title: Analyzing Selection Biases by Line-of-Sight Structure in Strong Lensing

As the universe continues to expand, our understanding of its vast complexities grows. Accurately measuring the expanding rate also be known as the Hubble Constant is one of the main goal of modern Astronomy. In recent years, strong lensing time-delay cosmography is a newly implemented methodology of measurement of the Hubble Constant. In regions of strong lensing, while the main contribution is primarily from a single massive deflecting body, the effects of line-of-sight directions known as external convergence and external shear could significantly influence observable quantities and need to be well modeled. Specifically, with the forthcoming of The Vera C. Rubin Observatory Legacy Survey of Space and Time (LSST), an large volume of strong lensing events is anticipated, bringing to light the significant impact of line-of-sight (LOS) structures. This research delves into the selection biases in strong lensing, exacerbated by LOS structures.

In this study, we simulate the large-scale structure, constructing low-resolution convergence and shear maps. On top of the low-resolution map, we add substructure by building higher resolution convergence and shear distribution with ray-tracing technique on rendered halos inside light cones based on the analytical halo mass functions from N-body simulation. We construct a realistic joint distribution of external convergence and external shear tailored to specific main deflector and source redshifts. Through extensive Monte Carlo simulations, we assess the selection biases in strong lensing events, particularly in the context of galaxy-galaxy lensing using the SLSim.

50

Considering the Comfort Level of Underrepresented Employees at SUNY Brockport

Afternoon Oral Presentation-3, Sagtikos 123, April 26, 2024, 1:45 PM - 2:45 PM

Universities have dedicated considerable effort in recent years to have better practices of equity, diversity and inclusion related to underrepresented students. These practices have varying levels of success and community buy-in, but universities nonetheless attempt to understand challenges faced by underrepresented students and address them. But what about underrepresented employees at the same institutions? Qualitative research has revealed that underrepresented employees at SUNY Brockport face unique challenges which inhibit their comfort level. Some of these challenges resulting from being underrepresented at a predominantly white institution (based on student population demographics) include microaggressions from peers, assignment of extra obligations, denial of certain opportunities and privileges, and being marginalized and discounted in their departments. To maintain a functional comfort level, support the student body, and succeed professionally despite these challenges, underrepresented employees practice specific coping strategies. Underrepresented employees often develop these strategies with more ease when they have a workplace mentor who is familiar with the unique stressors underrepresented individuals face. Underrepresented employees' comfort level being improved can only make them more professionally successful, and this can only make the university more successful. Thus, this research is relevant to anyone concerned with strengthening SUNY Brockport as a workplace and community or understanding what underrepresented employees may experience at similar institutions.

52

Harmonizing Equality: Ester Deans Journey to Empower Women in Music

Afternoon Oral Presentation -1, Sagtikos 145, April 26, 2024, 1:45 PM - 2:45 PM

The multifaceted career of Ester Dean demonstrates the invisibility of behind-the-scenes workers within the dynamic world of the music industry. Dean advocates for a more inclusive environment for aspiring female artists in addressing the marginalization regarding gender inequality, male dominance, and creativity. She migrated to a career as a ghostwriter because she felt she wasn't "pretty enough" to be on stage. My research shows that, dating back to the 18th century, stereotypes and discrimination against women have curtailed their musical pursuits. Despite its little to no progress, contemporary figures like Dean highlight a continuous gender gap in roles such as songwriting, label ownership, management, and representation, with a striking ratio of 6 men to every 1-woman songwriter. The imbalance is not a reflection of one's musical ability but rather a societal construct that ethnomusicologists continue to explore. There is no evidence that one sex should possess more music ability than the other. Recognizing women's historical contributions influences the industry's culture and can create a more comfortable environment for future female musicians.
Dean reveals the hidden threads of the music industry's dynamics in multiple interviews, expressing through her career an example of a truthful glimpse into the triumphs and challenges that have shaped her within her musical journey.

123

Assessing the Thermal Conductivity, Moisture Transport, Fire Resistance and Mechanical Properties of Hempcrete

Afternoon Oral Presentation- 2, Sagtikos Theatre, April 26, 2024, 1:45 PM - 2:45 PM

Hempcrete, a sustainable building material composed of hemp shiv, lime, and water, presents a promising eco-friendly alternative to traditional insulation. Recognized for its carbon sequestration capabilities, hempcrete effectively absorbs CO2 over its lifecycle. This study evaluates hempcrete's thermal conductivity, moisture transport, fire resistance, and mechanical properties through a series of controlled experiments and modeling to ensure its viability as a sustainable building material. The hypothesis is that hempcrete can deliver effective thermal insulation and moisture regulation, withstand fire, and sustain mechanical loads in building applications. Our objective was to validate hempcrete's performance and solidify its thesis as a superior alternative to traditional materials.

Our multifaceted methodology began with the assessment of thermal conductivity through heat conduction tests in a controlled environment. Each sample had an embedded AC/DC 12V 200°C heating element, which underwent a current test. Data collection was collected by a 4-channel K-type thermometer. For moisture transport evaluation, we exposed the blocks to constant humidity, and Arduino-synchronized thermistors acquired the data. Fire resistance testing involved direct high-temperature exposure of the blocks, using a thermal camera to collect thermal data, followed by visual analysis to assess material integrity. The mechanical properties were examined through compressive strength tests on an INSTRON machine with a 150KN capacity, simulating standard loading conditions on hempcrete at a compression rate of 0.25mm per second, to determine the material's Young's modulus.

Our results underscore hempcrete's superior thermal insulation, evidenced by a thermal conductivity of 0.0911 W/m K, and robust mechanical strength, indicated by an average Young's modulus of 6MPa. Additionally, its resistance to moisture and fire underscores its potential in ensuring building safety. These attributes are crucial for its use in insulating infill walls.

The significance of this work lies in its comprehensive experimental evaluation of hempcrete's performance, offering a data-driven affirmation of its suitability for sustainable construction. The current state of the project indicates that, with further optimization and scalability considerations, hempcrete could revolutionize the construction industry by providing an eco-friendly, carbon-negative, and energy-efficient alternative to conventional materials.

Visual Generic Aware Planner: Embed Intelligent Hex Color Code Construct

_____, _____, _____, _____
[1]Old Westbury

Afternoon Oral Presentation- 2, Sagtikos Theatre, April 26, 2024, 1:45 PM - 2:45 PM

This proposed system is a spin-off from the NASA Traffic Aware Strategic Aircrew Requests (TASAR) and for the short, Traffic Aware Planner (TAP), which monitors potential flight trajectories in real-time. Its primary function is to update flight patterns to better optimize flights in case of potential hazards or conflicts. The objective of TASAR is to improve the process in which pilots request flight path and altitude modifications due to changing flight conditions. Changes may be made to reduce flight time, increase fuel efficiency, or improve some other flight attribute desired by the operator. Currently pilots make such requests to Air Traffic Control (ATC) with limited awareness of what is happening around them. Consequently, some of these requests will be denied resulting in no flight improvements and an unnecessary workload increase for both pilots and ATC. Our system which is derived from the concept of the TAP and is known as Visual generic Aware Planner (GAP): Embed Intelligent Hex Color Construct. Our business introduces

1. A novel approach and idea to enhance and improve TAP by incorporating idea of embedding intelligent hex color code into the system as well as integrating Plan-Oriented Concepts.
2. A color branding technique and implementation utilizing hex web colors (RGB) with their dedicated, meaningful codes that identify the business's mission, vision, and values and possible timelines. This technique aims to disrupt the traditional assignment of color codes by web designers or other stakeholders, favoring instead the cumulative decision-making of organizational managers involved in day-to-day operations.

149

Why Do People Want Tattoos?

_____[1]
[1]SUNY Purchase College

Afternoon Oral Presentation -1, Sagtikos 145, April 26, 2024, 1:45 PM - 2:45 PM

The literature indicates a negative correlation between visible tattoos and employment. Moreover, tattoos are expensive, and their removal can cost four to five times the price of getting one, with no guarantee of success. Despite the direct and indirect costs, as well as the almost irreversibility of tattoos, there has been a notable expansion in the industry and related markets such as tattoo aftercare in recent years. This economic boom signifies a broader appeal of tattoos beyond traditional enthusiasts. Indeed, as of 2023, a third of Americans have at least one tattoo. This trend is particularly noticeable among those under 45 and women, many of whom are entering the job market or facing relatively low wages. Hence, the question arises: why do people want tattoos? The paper discusses three motivations for getting tattoos: enhancing self-esteem, signaling status or wealth, and participation in body modification communities. The paper also aims to better understand the trends in the booming tattoo industry, such as whether the number of visible and non-visible tattoos is growing at the same rate, and how much of the revenue increase is attributable to tattoo removal. This study utilizes cross-disciplinary literature review and data analysis to explore tattoo trends and the reasons behind them.

Phi Theta Kappa Alpha Delta Gamma Chapter- research on the economics of play- How can we all bene□t from fun?

_____[1], _____[1]
[1]Suffolk County Community College

Afternoon Oral Presentation-3, Sagtikos 123, April 26, 2024, 1:45 PM - 2:45 PM

Joseph Gonzalez and Sean Hancock will present their Phi Theta Kappa Honors in Action research on “The economics of play” and their findings on the positive psychological benefits of club and activity participation while also engaging in college academics. It’s not just about a balanced existence in our frequently fast-paced and disjointed and fracturing social fabric. Our research delves into the concept of “play” in the context of higher education, examining how engagement in extracurricular activities, clubs, and informal play contributes to the personal and professional development of college students. Through a comprehensive analysis of existing research and empirical data, the study highlights how these recreational activities not only provide an escape from academic pressures but also serve as essential components for enhancing social skills, leadership qualities, and overall improvement in performance.

PTK had to ask themselves one question, “why is club participation declining if the benefits are a net positive? And what should we do about it?”. PTK Alpha Delta Gamma chapter will begin an awareness campaign. We will tell the story of the work, our approach, and our goals for the project. This presentation is not just a rehash of Robert Putnam’s “Bowling Alone”, reflecting on the fraying of the social fabric on a community college level. This is a call to action in our community colleges. We say- “get involved”, and here’s why. Let’s have a lively discussion about being more involved, and understanding the barriers to it, and hopefully, we will all leave motivated to spread the words “have fun”.

186

Beyond Walls: Older Adult Centers as Community Hubs

[1]

[1]NA

Afternoon Oral Presentation-3, Sagtikos 123, April 26, 2024, 1:45 PM - 2:45 PM

A literature review and architectural design revamp the free, public daytime older adult center to foster a stronger, more vibrant community and to enhance the quality of life for older adults. This case study is located at the site of the now-demolished Middletown State Homeopathic Hospital (1874) of Middletown, New York. Our group wrote a 30-page literature review. The literature review discusses contemporary scholarly research on the following topics: urban planning, architecture, landscape architecture, geriatric healthcare, public health, mental health, and more. Through the research, we learned that: there is a lack of affordable older adult housing; most older adults wish to age in place; older adults wish to live at home with autonomy, in a minimally restrictive environment; many older adults lack support systems and feel isolated; middle- and lower-income older adults and their caretakers MacGyver housing and healthcare solutions, but they are not sustainable; and that public, shared older adult centers are the more environmentally-friendly option. The literature review provides evidence to support our architectural design of a free, public daytime older adult center. All existing structures surrounding the site will remain intact. The Older Adult Center has been thoughtfully integrated into the existing site and enhances it. Our design promotes accessibility, inclusivity, and social engagement for all. Our work consists of a literature review, a 2D floor plan, 3D renderings created on Revit, a Google Slides presentation, and a speech. Our concept of a free, public daytime older adult center could have a positive effect not just on Middletown, but on many communities across the United States, and could contribute to a more age-friendly society.

Synthesis and Methodology of Novel Polymeric Materials

[1]
[1]Suffolk County Community College

105

Numerical Computations of Advanced Water-Cooled Cold Plates for Thermal Management of Microchips with Hotspots

_____, _____
[1]SUNY New Paltz

Afternoon Oral Presentation- 5, Sagtikos Theatre, April 26, 2024, 3:00 PM - 4:00 PM

High-performance computing is at the core of technological advancements of the modern era. Everything from a simple search on Google to the design, manufacturing, control, and communication with spacecraft relies on millions of computations in a fraction of a second. This non-stop demand for more computational power comes at the cost of overheating the microchips that make the brains of the computers as well as nonuniform temperature distribution. In other words, the reliability of computers decreases, and they have a shorter lifespan. Traditional methods, such as air cooling, are not adequate to remedy the thermal issues of the microchips. Benefitting from the convection heat transfer of liquids, like water, cold plates are used to achieve efficient thermal management of high-performance computers with localized regions of high temperature (hotspots.) The challenge is to balance the improved heat transfer rate from the microchip with the required hydraulic cost (pump power) for liquid flow within the cold plate. In this study, the effect of the internal structure of the cold plate on its thermal and hydraulic performance is examined using finite element methods (FEA) commercial software, COMSOL. Hybrid cold plates with pin-fins concentrated on the hotspot achieve better thermal performance than conventional straight-channel cold plates. However, this is met with increased required pump power.

Learning to Code: Building Webpages for New Horizons

Turcios K, _____
[1]SUNY Old Westbury

146

Preparing Students for the AI Era: The Importance of Learning Information Systems

_____, _____, _____
[1]Old Westbury

Afternoon Oral Presentation- 4, Sagtikos 145, April 26, 2024, 3:00 PM - 4:00 PM

This research explores personal experiences regarding crucial information systems topics that every student should grasp during their time in college. Information systems play a vital role in collecting, organizing, analyzing, and disseminating information to foster knowledge. Among these systems are Management Learning Systems (LMS) like Brightspace, Banner, Navigator, webpages, various software applications, and generative AI.

Key topics in information systems explored in this research include ethics, privacy, security, programming, and web-source code. With the current rise of artificial intelligence in our lives, particularly in education, it becomes increasingly important to understand its nature and how to utilize it effectively. This research suggests methods to enhance preparedness by incorporating concepts from information systems related to AI. Examples such as database construction, webpage replication, and sample search engine programming will serve to illustrate this journey.

Motor Adaptation and Fatigue in Repetitive Movement Tasks

BrockportGPT: A Chatbot for SUNY Brockport

[1]

[1]SUNY Brockport

Morning Poster Session A-1, Sagtikos Lobby 1st floor, April 26, 2024, 9:15 AM - 10:15 AM

We develop BrockportGPT, an advanced chatbot designed to serve the SUNY Brockport community. BrockportGPT embodies the integration of cutting-edge Large Language Models (LLMs), incorporating methods such as Retrieval Augmented Generation (RAG) and innovative fine-tuning techniques, alongside the development of a from-scratch transformer model. Central to its design is the improvement of text retrieval capabilities and the incorporation of question-topic classification mechanisms, enabling precise and relevant responses to a wide array of inquiries ranging from campus life to academic resources, and more. The foundation of BrockportGPT's development is laid on an extensive data collection process, employing techniques like web scraping and utilizing GPT-4 for the creation of a tailored question-answer dataset. This dataset plays a crucial role in training and fine-tuning the model to meet specific user needs effectively.
Early outcomes of this project indicate a promising approach to enhance university-level information dissemination, underscoring the transformative potential of conversational AI within educational environments. Moreover, BrockportGPT's development process illuminates critical ethical considerations around misinformation necessary for responsible AI deployment. By showcasing the application of LLMs to improve the spread of university-related information, BrockportGPT not only serves its immediate community but also sets a precedent for future explorations in the domain of educational AI applications.

Using Machine learning to improve sorting algorithms

_____[1], _____[1], Mohamed Khalefa[1]
[1]SUNY Old Westbury

Morning Poster Session A-1, Sagtikos Lobby 1st floor, April 26, 2024, 9:15 AM - 10:15 AM

Sorting Algorithms are one of the classical topics in computer science. They highlight different approaches with different tradeoffs; solving a well-defined problem. Sorting is used in various applications, including organizing the data, building indexes, and joining data. Comparison-based sorting algorithms such as merge sort, these algorithms compare items pairwise, are bounded by lower bound by (log (n !)). However, these algorithms are agonist to the data, meaning the algorithm does not use the distribution of the data to speed up the computations. On other hand, other sorting algorithms like radix and bucket

The American Eugenics Movement: In□uence and Impact on the Global Stage

[1]

[1]Suffolk County Community College

Morning Poster Session A-2, Fine Arts Lobby, April 26, 2024, 9:15 AM - 10:15 AM

Often, we think of Eugenics stemming from the actions of Nazi Germany during WW2. However, what mainstream information sources often fail to shine a light on is the impact that eugenics had in the United States and the influence that it would have internationally, especially in Germany. What degree of influence, if any, did the American Eugenics Movement have on Nazi Germany's eugenics ideologies and practices? How profound of a connection did these two movements have? Not often viewed in the same regard as Nazi Eugenics, American Eugenics caused almost as much harm by altering the lives of black, immigrant, and special needs men and women in the United States through methods of forced sterilization during the late 19th and early 20th centuries. My interest in this topic and query was heightened through my study of Adolf Hillter's regime and their further radicalization of such aforementioned American practices. This is further proven through evidence of leadership within the Nazi party being sent to the US to study amongst American researchers on Long Island at the Eugenics Record Office (ERO) based in Cold Spring Harbor. Through the use of primary and secondary sources, my research delves into the history of American Eugenics to gather a clearer understanding of the movement's outcomes and consequences, as well as its influence and impact on the more widely-recognized Nazi Eugenics Movement. In addition, my research follows the cultural markers within society that were often tied to economic and social struggles. These struggles provided fuel for the eugenic movements and the political pressure to maintain them.

SIR Model for Infectious Diseases

_____[1], _____[1], _____[1], _____[1]
[1]Farmingdale State College

Morning Poster Session A-1, Sagtikos Lobby 1st floor, April 26, 2024, 9:15 AM - 10:15 AM

A differential equations system known as the SIR model is frequently used to analyze the transmission of infectious illnesses. This model divides the population into three categories: susceptible, infected, and removed. In this study we use Matlab Software to simulate infectious rates of historical infectious diseases. We compare our model simulations to historical data of the Hong Kong Flu in 1968, and COVID-19 data from Pinellas Florida and Rockland New York in 2020.

Optimizing the k-Nearest Neighbors Algorithm for Bank Churn Prediction

Analyzing performance of equity index universal life insurance with dynamic stochastic models

_____[1], _____[1], _____[1]
[1]Farmingdale State College

Morning Poster Session A-2, Fine Arts Lobby, April 26, 2024, 9:15 AM - 10:15 AM

In this project, we will analyze the cash flow, return and risk, protection value, and tax advantages of equity-based index universal life insurance, both as a life insurance policy and as an investment vehicle. Most of the current literature and business reviews on this topic are simply based on historical data like the S&P 500 index. We plan to do comparisons not only based on historical data but also with dynamic stochastic models. We also will do a case study comparing the S&P 500 investment fund to the equity-based indexed universal life insurance. Classical statistical methods like Monte Carlo simulation will be implemented. Using the Monte Carlo simulation we will predict future values to calculate whether investing in the S&P 500 or purchasing an Indexed Universal Life is better by trying to find out which option maximizes return. Analyzing possible outcomes allows us to see the advantages and disadvantages of investing in the S&P 500 as well as the Indexed Universal Life Insurance Policy.

“The Role of Politics in Facilitating Human Happiness”

Instructions for Virtual Reality Based on Cognitive Load Theory

[1]

What do Transfer Students have to Say? An Analysis of the Experience of Transfer Students through Topic Modeling

[1]

[1]Suny at Old Westbury

Morning Poster Session A-2, Fine Arts Lobby, April 26, 2024, 9:15 AM - 10:15 AM

In recent years, there has been a notable rise in an alternative route to achieving higher education: a growing number of students are transitioning from 2-year colleges to 4-year institutions to complete their undergraduate degrees. Transfer students are a minority among the 4-year institution student population, many being first-generation, low-income, and racial minorities. To understand how to assist these underrepresented students, the question is: what are the most significant factors influencing the decision to attend a 2-year institution and transfer instead of immediately attending a 4-year institution? An online survey, which was anonymous and confidential, of 161 students in computing majors provides invaluable information about the transfer process for underrepresented students. This paper analyzed the demographic information along with the five open-ended questions asked to the participants of the survey. Participants' responses reveal the influence of their families, social media, and advisors and how aspects of their identity have affected their decisions. To gain a deeper understanding of this data, NLTK and Pandas libraries are used to clean the data, WordCloud library is used to generate word clouds and three topic modeling algorithms including unsupervised (i.e., Latent Dirichlet Allocation (LDA)), semi-supervised (i.e., Correlation Explanation (CorEx)), and pre-trained (i.e., Bidirectional Encoder Representations from Transformers (BERTopic)) models are used to identify critical issues regarding students' transfer decision. Responses are first cleaned, aggregated, and visualized into word clouds; separate word clouds are generated for each question to reveal critical factors. With the aggregated analysis of word clouds and topic-modeling results, it becomes evident that cost, career opportunities, financial aid, distance from home, and guidance from family are the key factors influencing the decision between 2-year and 4-year institutions. The biggest challenges in the participants' transition were transferring credits, difficult classes, working while attending school and overall adjusting to a 4-year institution. These findings can be used to help transfer students succeed in their 4-year institution and beyond in their careers.

The Analysis of Large Language Model Performance in Big Data Analytics

“Neurochemical Factors Related to Positive Emotions and A□ect”

[1]

[1]

Age Moderates the Relationship Between IQ and Facial Emotion Recognition at Low Feature Levels of Autism Spectrum Disorder

_____[1]

[1]Farmingdale State College

Morning Poster Session A-2, Fine Arts Lobby, April 26, 2024, 9:15 AM - 10:15 AM

Typically, individuals develop their facial emotion recognition abilities to their full potential by late adolescence. However, individuals with Autism Spectrum Disorder face difficulties regarding facial emotion recognition. Based on this knowledge, we hypothesized that participant age would moderate the relationship between IQ and own-age facial emotion recognition abilities. It was further hypothesized that the moderation effect of age on the relationship between IQ and own-age facial emotion recognition abilities would be moderated by the participants' ASD feature levels. In this study, 147 participants (113 with ASD; 34 without ASD) completed the Diagnostic Analysis of Nonverbal Accuracy (DANVA-2) task, Kaufman Brief Intelligence Test (KBIT-2), and the Autism Diagnostic Observation Schedule (ADOS-2) to evaluate their facial emotion recognition abilities, IQ, and ASD feature levels respectively. After determining the errors in facial emotion recognition, participant IQ, ASD feature levels, and grouping the data based on participant age (early, middle, and late adolescence), results supported a relationship between IQ and own-age FER although there was no significance across the full sample when accounting for the impact of age on this relationship. However, support for a three-way interaction was found when ASD feature level was taken into account. This suggests that cognitive ability only relates to FER task performance up to a certain point in the development of autistic individuals.

Using Logistic Regression to predict student learning performance at an early stage

Native American Arrowhead Classi□er: Using Deep Learning Techniques

Using Neural Networks to Predict Chaotic Behavior in the Classical Kicked Rotor Model

Morning Poster Session A-1, Sagtikos Lobby 1st floor, April 26, 2024, 9:15 AM - 10:15 AM

Finding equations to predict chaotic systems is very difficult due to their complex and nonlinear nature. In this research, we investigate an alternate approach, the use of neural networks to predict chaos, specifically in the classical kicked rotor system. The classical kicked rotor system is a fundamental system for studying chaos in dynamical systems. To start, the classical kicked rotor system is first implemented in Python. Whether a trajectory is chaotic is determined using Lyapunov exponents, a metric that quantifies the rate of divergence or convergence of nearby trajectories in a dynamical system. The kick strength, initial angular position, and initial momentum are fed into the neural network and it predicts a chaotic or periodic trajectory, using a binary classification. This is a continuing project and will next be applied to the quantum kicked rotor system.

Meta-in□ammation Increases the Migration and Invasiveness Potential of Prostate Cancer Cells

_____[1]

[1]SUNY

Morning Poster Session B-1, Sagtikos Lobby 1st floor, April 26, 2024, 10:30 AM - 11:30 AM

Obesity-induced chronic low-grade systemic inflammation, or meta-inflammation, is characterized by the accumulation of immune cells, mainly macrophages, in the adipose tissue (AT) and the deregulation of AT hormones and cytokines. Several studies have suggested that obesity is associated with a higher risk of fatal prostate cancer. Prostate cancer (PCa) represents one of the most common types of cancers diagnosed in American men and the third most common cause of cancer related-deaths, mainly due to incurable metastatic disease. Within the tumor microenvironment, there are several factors that play an important role in the proliferation and metastasis of cancer. Such factors include inflammatory chemokines and cytokines associated with infiltrating macrophages into the tumor environment. These infiltrating macrophages (also known as tumor associated macrophages) are a key component of inflammation during prostate cancer tumorigenesis and metastasis. The underlying mechanisms linking obesity with PCa are not completely understood. The goal of this project is to elucidate the molecular and cellular mechanisms underlying the association of meta-inflammation with prostate cancer migration and invasiveness. We hypothesize that a hypercaloric environment will promote the migration and invasion of PCa cells. To addresses this hypothesis we used U937 human macrophage-like cells and exposed them to a lipid-rich microenvironment to mimic the cellular metabolic inflammation observed in obese AT. After 16-18 hours of stimulation with 300 M Sodium Palmitate (inflammatory conditions), we collected the conditioned media which was used to stimulate DU145 human prostate cancer cells. The invasive cellular behavior was assessed by transwell migration, Boyden chamber invasion, and wound healing assays and we found that stimulation with conditioned media from inflammatory conditions promoted an increased in cell migration and invasion when compare with unstimulated DU145 cells. Taken together, our findings suggest that meta-inflammation promotes the progression of prostate cancer towards an invasive state.

Inter- and Intramolecular Hydrogen Bonding in n-Octanol Related Ether Alcohols

_____[1], Professor Markus Hoffmann
[1]SUNY Brockport

Morning Poster Session B-2, Fine Arts Lobby, April 26, 2024, 10:30 AM - 11:30 AM

Exploring the Impacts of Urbanization, Climate Change, and Global Socio-Economic Dynamics: A Comparative Study of Nine Developing Nations

[1]Stony Brook University

Morning Poster Session B-1, Sagtikos Lobby 1st floor, April 26, 2024, 10:30 AM - 11:30 AM

The looming threat of climate change dominates the current era, and developing nations bear a disproportionate burden of its consequences. Over the years, researchers and economists have tried to understand the implications of climate change on the world economy at large. This study explores the relationship between urbanization, climate change, and the aftermath of these abrupt changes in global society and economies. As temperatures rise in all parts of the world, natural disasters become more frequent, resulting in a decline in crop yield in countries heavily dependent on agriculture, leading to an upward trend in urban migration and potential migration outside of the country. The paper delves into nine different countries from South Asia, Southeast Asia, Eastern Africa, and South/Latin America, which have different geographical and socio-economic backgrounds. It also tries to find commonalities in those nations regarding the rapid changes in crop yield and urbanization rate caused by climate change. This paper underscores the geopolitical significance of these regions, their contribution to the global economy through agriculture, and the potential risks of political instability and migration on a global scale. This paper uses data to understand the urbanization trend, crop (cereal) yield, and crop yield compared to population growth. It proposes a potential correlation between climate change and increased urban migration. It supports the hypothesis that these circumstances can result in climate migration out of the affected countries, as well as increased food prices in developed nations and food insecurity worldwide. Developed

Eulers formula

[1]
[1]Suffolk County Community College, Math Department

Morning Poster Session B-2, Fine Arts Lobby, April 26, 2024, 10:30 AM - 11:30 AM

An important underlying “transformation” in mathematics is the Euler Formula. It serves as a tool used in Physics, Chemistry, Mathematics, and Engineering to solve complex problems via differential equations, and functional, Fourier, and complex analysis. We see that e^{i } = cos( ) + isin( ), relates the power function with base e and the trigonometric functions cos( ) and sin( ) on the complex plane in one formula. Setting theta to pi leads to what is considered “the most beautiful equation in mathematics” – e^{i } + 1 = 0 - the Eulers identity.

The Spatial Abundance of Mollusks Species Through the Tidal Pro□le at Sunken Meadows State Park Beach.

Recycled Plastic Amended Concrete: A Sustainable and Lightweight Construction Material

_____[1]
[1]Farmingdale State College

Morning Poster Session B-2, Fine Arts Lobby, April 26, 2024, 10:30 AM - 11:30 AM

Concrete, a globally utilized construction material, is renowned for its versatility and widespread use in construction. It is crucial to balance the proportion of concrete's components: cement, aggregate, and water to ensure structural strength and durability. Recent studies explored an innovative approach to boost concrete sustainability by substituting traditional aggregate with recycled plastic. Therefore, instead of discarding this non-biodegradable plastic waste, it could be utilized in the construction sector. Our research builds upon this foundation, aiming to provide a deeper understanding by focusing on selection of a specific type of plastic and determining the optimal percentage for blending with aggregate that will not only meet but surpass the requirements and expectations of the construction industry. Plastic amended concrete will yield a sustainable construction material. In this experimental research, 6" x 12" cylindrical concrete specimens were manufactured with recycled plastics (polyethylene terephthalate mixed with high density polyethylene). Plastic bottles and containers were collected from recycled bins, cleaned, cut into uniform proportions of ¾ of an inch, and mixed with cement, aggregate and water. Plain concrete samples without plastic were also fabricated for comparison. Properties of fresh concrete were evaluated through slump test, and air content test. Compressive strength test was performed on cylindrical specimens after 7-days of curing. Results obtained from plastic added concrete were comparable to the control plain concrete specimens. Also, plastic amended concrete yielded lower bulk unit weight as compared to control specimens. This cutting-edge research aligns with environmental initiatives, aiming to create an eco-friendly, robust, and lightweight construction material.

Comparative Analysis of Carnot, Simple Rankine, and Reheat Rankine Cycles for Power Generation in Nassau County, New Y

_____[1], Kyle Kravitz[1], Mr. Braiden McDaniel[1]
[1]SUNY New Paltz

Investigating the In□uence of Electrode Geometries on Electrolysis for Coral Biomineralization

_____[1]
[1]SUNY New Paltz

Morning Poster Session B-1, Sagtikos Lobby 1st floor, April 26, 2024, 10:30 AM - 11:30 AM

This independent study focuses on understanding the influence of electrode geometry on electrolysis and their impacts on the biomineralization processes of tropical and subtropical corals. Biomineralization investigates the study of processes that lead to the formation of structured organic-inorganic materials within living organisms, including shells, bones, and teeth. Biomineralization is pivotal for the growth, health and development of coral skeletons. Electrolysis provides for a chemical alteration by means of electrical current passing through the substance. In this case, it is desired to have decomposition of one electrode and biomineralization of calcium carbonate on the other electrode, which is critical for the bone structure of the coral to promote growth and strength of the reefs. Changing electrode geometries result in different outcomes in the electrolysis process. Through the use of COMSOL the varying geometrical effects on the electrolysis process is modeled and experimented with. Using COMSOL's Electrical Currents module and setting up parameters specifically tailored for this application is vital in exploring the optimum desired electrode geometry. Understanding the correlation between current density and calcium deposition is crucial for optimizing electrolysis conditions. Current density is directly related to the electrode geometry thus, a systematic parametric analysis was conducted to comprehensively explore this impact. This study aims to figure out which electrode geometries work best for electrodeposition, or if it does not matter. Uncovering insights into the specific factors that affect the efficiency of electrolysis are crucial in enhancing coral biomineralization.

The Impact of Tetrahydrocannabinol on Neonatal Skeletal Development

_____[1], _____[1], Dr. David Komatsu[1]
[1]Department of Orthopaedics and Rehabilitation, Stony Brook University

Morning Poster Session B-1, Sagtikos Lobby 1st floor, April 26, 2024, 10:30 AM - 11:30 AM

Department of Orthopaedics and Rehabilitation, Stony Brook University

The rapid expansion of legalized marijuana has been accompanied by an increase in the number of people using this drug. Clinical studies have reported that users of marijuana have an increased incidence of skeletal fractures and decreased bone mineral density where 2-5% of women use marijuana regularly during their pregnancies. Tetrahydrocannabinol (THC) is the primary psychoactive component in marijuana and can cross the placental barrier and potentially affect fetal development. Currently, nothing is known about the effects of prenatal THC exposure on skeletal development. Therefore, we conducted a study in which rats were prenatally exposed to THC. Rat dams were exposed to THC (0.8mg/kg) via inhalation or normal air daily from 3 days prior to pairing for breeding until they gave birth. This dose results in peak THC blood plasma levels of 71.6 +/- 10.9 ng/mL which is similar to the clinical levels detectable after smoking marijuana. The pups were then euthanized on postnatal day 60, corresponding to the end of adolescence in humans. Digital caliper measurements with a “Manostat” Caliper were taken to ascertain tibial and femoral length and mid-diaphyseal diameter on the anterior-posterior (AP) and medial lateral axes (ML). Biomechanical analysis was performed by subjecting femora to 3-point bending tests to determine energy to failure, stiffness, ultimate force, failure force, and yield force. Results were compared between THC and normal air (control) within the male and female cohorts. Sample sizes were 8 for each group. Significance was determined by a two-way ANOVA with Tukey’s multiple comparisons tests. Caliper measurements with significant differences were found between the control group and the group exposed to THC for tibial ML diameter in both males and females. Specifically, tibial ML diameter was 57% wider in male controls compared to THC exposed and 29% wider in the female controls compared to THC along with femoral length in females was 4% longer in controls compared to THC. Biomechanically, only male femoral yield force differed significantly, with THC exposure resulting in a 28% increase compared to control. The completion of these studies will provide us with a better understanding of the effects of prenatal THC exposure on skeletal development.

The Chemokine, CXCL12, Stimulates Migration of Hypothalamic Neurons

_____[1],

Investigating gene functions in the F1 cluster phage Akhila

_____[1], _____

Empowering Sustainable Transportation with Innovative Infrastructure

_____[1], _____[1], _____[1], _____[1]
[1]Farmingdale State College

Morning Poster Session B-2, Fine Arts Lobby, April 26, 2024, 10:30 AM - 11:30 AM

Our project, undertaken in collaboration with Farmingdale State College, aimed to address the need for a comprehensive transit hub to serve students, faculty, and the wider community. As architects, general managers, and project managers, our roles were integral in conducting a feasibility study and proposing designs for a welcome center and bus station on campus.

The main focus of our project was to put up a versatile facility that would cater for present day transport needs as well as consider future improvements such as the proposed Bus Rapid Transit (BRT) routes serving the Route 110 corridor. The design that we created met all state and federal mandates and included accessible features, as well as sustainable practices, including photovoltaic technology for energy generation.

In this project, we faced various problems which needed unique answers and joint efforts across different disciplines. We managed to overcome complicated logistic parameters and stringent regulations by conducting site assessments among other things. This was a learning experience that gave us an opportunity to test our knowledge from school in real life situations while also teaching us how to practically manage projects.

Our project exemplifies the culmination of our efforts. Our vision for a transit hub that will enhance connectivity, make it accessible and sustainable at the same time. We are happy being part of Farmingdale State College’s dream about a campus where everyone feels welcome.

Mechanistic Study of pre-mRNA Alternative Splicing in PDAC

[1]

[1]Farmingdale State College

Morning Poster Session B-2, Fine Arts Lobby, April 26, 2024, 10:30 AM - 11:30 AM

Pancreatic ductal adenocarcinoma (PDAC) is a highly lethal malignancy with extremely poor prognosis, with an average 5-year survival rate of less than 10% (Siegel, R. L., et al., CA Cancer J Clin (2022)). Splicing factor of interest, BCAS2, is overexpressed in some cancers, and disrupts the activity of the TP53 tumor suppressor (Kuo et al., Cancer Research 2023). The mechanisms behind how BCAS2 disrupts alternative splicing in cancer remain unresolved. This project helps to understand the oncogenic role of splicing factors in PDAC, and their effect on PTBP2.

In this study, we found that upregulation of BCAS lead to increase in PTBP2 expression, which we would like to further explore the mechanisms behind in the future, as well as the effect on PTBP1.

Experimenting with the path of fastest descent under gravity

_____[1], _____[1], Dr. Manish Jadhav[1]
[1]Dutchess Community College

Morning Poster Session B-2, Fine Arts Lobby, April 26, 2024, 10:30 AM - 11:30 AM

Suppose an object were traveling in two dimensions under gravity. What would the fastest path be for that object to follow? This path could be found by applying the principle of least action, which leads to the cycloid curve. This work was aimed at testing if the cycloid was indeed the path of quickest descent, i.e., a brachistochrone, among all other paths. For our trials, 3D-printed tracks were constructed using the equations for a line, a parabola, and a cycloid. Marbles were then released from the top of the curves, and photo gates were used to time the descents, confirming that the cycloid was indeed the quickest among them all. LoggerPro video analysis was then utilized to approximate the action for each curve by adding the (kinetic minus potential) energy valuesfor various points along the three paths using a 240 fps cell phone video. However, contrary to our expectations, it turned out that the action for the cycloid was always slightly larger compared to other paths. Our guess is that this could well have been a result of a marble carrying higher kinetic energy along the cycloid path, leading to a situation where all marbles for each curve were not precisely at the same displacement at the same times. Our experiment was still able to confirm the brachistochrone property of the cycloid, and helped us understand various aspects of the Principle of Least Action.

Renovation of Historical NYC Stair & So□t Design

In-situ core-level spectroscopy probing of calcium solvation at the electrolyte/electrode interface

[1]
[1]Suffolk County Community College
Dr. Feipeng Yang, National Synchrotron Light Source II, Brookhaven National Laboratory

Morning Poster Session B-2, Fine Arts Lobby, April 26, 2024, 10:30 AM - 11:30 AM

Understanding electrolyte solvation at the interface between the electrolyte and electrode is vital for enhancing charge transfer efficiency, directly influencing battery performance. Traditional investigative techniques have faced challenges in providing in-depth analysis of this interphase, especially under real-time operational conditions. This limitation has hindered a comprehensive understanding of the interphase dynamics. Addressing this gap, our study employs synchrotron-based soft X-ray absorption spectroscopy to examine the solvation processes of a calcium-based organic electrolyte under operando conditions.

Exploration of Estée Lauder Companies

_____[1], _____[1]
[1]Farmingdale State College

Morning Poster Session B-1, Sagtikos Lobby 1st floor, April 26, 2024, 10:30 AM - 11:30 AM

This poster presentation delves into the intuitive experience of an internship at Estée Lauder Companies, where we served in the position of Special Analytical Services under Research and Development, contributing extensively to laboratory operations. Kayli and I are the two interns they hired for this position. It focuses on the immersion into the multifaceted world of beauty, encompassing marketing strategies, product development, and brand management. By blending prior lab knowledge with practical application, this presentation showcases the intricate interplay between academia and industry within the cosmetics sector, as witnessed firsthand during the internship at Estée Lauder Companies.
The internship within the Special Analytical Services department provided a hands-on opportunity to learn about the scientific foundations of the beauty industry. Working within the laboratory, tasks included conducting sample analyses, participating in formulation testing, and ensuring compliance with regulatory standards and standard operating procedures. Collaborating closely with experienced professionals, we gained practical skills in chromatography, spectroscopy, and microscopy techniques, enhancing our understanding of cosmetic chemistry and product safety protocols. Involvement in their projects adC 9cshvt 4bcass v safEMC dinhod x1Sk >>BD-gh C EM8P <</MCID witorustruk >1Sk

Sel□essness as the Source of Happiness: The SSHM Model in Positive Psychology

[1]

[1]SUNY Westchester Community College

Morning Poster Session B-1, Sagtikos Lobby 1st floor, April 26, 2024, 10:30 AM - 11:30 AM

This presentation will explore the issue of happiness from the perspective of positive psychology. Informed by the Self-Centeredness/Selflessness Happiness Model (SSHM) proposed by Michael Dambrun and Matthieu Ricard, it will provide evidence that self-centeredness has a negative effect on emotional stability while notable happiness can be achieved through selflessness. It will review examples of charitable acts with emphasis on the key role of motivation. For example, volunteering or financial donations that result from guilt, obligation or concern for once's public image may produce a decrease in happiness. The same acts, if performed with the wellbeing of the recipient in mind, increase one's sense of happiness. However, as demonstrated by Nicolas Pellerin, the durability of such happiness does not extend indefinitely – it is related to the durability of benevolent behavior. Stable happiness requires embracing selflessness as a lifestyle. Explaining and calling attention to this principle is the main objective of the presentation. This is also why I felt drawn to this topic, because in a world where there is much turmoil it is very hard to hold onto happiness. By spreading information on how one could potentially enhance their happiness with selflessness, at least for a few seconds, this could help shine a spotlight on ways we can improve happiness in a world filled with terror.

STK11 gene and KRAS mutation in Non-Small Cell Lung Cancer IL 33 Response

_____[1]
[1]Stony Brook University

Morning Poster Session B-2, Fine Arts Lobby, April 26, 2024, 10:30 AM - 11:30 AM

Lung cancer is the leading cause of death in US Veterans. Pre-clinical studies using a mouse model in our lab showed a novel association between loss of the STK11 gene and increased IL-33 expression in KRAS mutant non-small cell lung cancer (NSCLC) lacking STK11. While the effects of targeting IL-33 in human NSCLC is unknown, based on our lab results, we hypothesize that immune checkpoint inhibitor(ICI) response rates in KRAS and STK11 altered NSCLC will be inversely related to the fraction of tumor cells secreting IL-33.

To test this hypothesis, we have identified 3,811 specimens from US Veterans with NSCLC harboring alterations in STK11 alone (n=893), KRAS alone (n=2,149), or both (n=769) via comprehensive genomic profiling using the VA National Precision Oncology Program (NPOP) database. Matching clinical information is available from the VA's electronic medical record including demographics, tobacco exposure, therapeutic interventions, and survival times. A single de-identified unstained slide from each specimen will be sent for IL-33 IHC staining and labeled as "1" or "2" or "3" based on previously randomized list of assignments for the specified genotype (KRAS alone or STK11 alone or KRAS with STK11). A pathologist will review the slides, blinded to the genotype of the cancer, and score IL-33 expression of the tumor on a scale of 0 to 3. Clinical data including response to ICI therapy and survival time will be abstracted from the VA clinical database and linked to each specimen analyzed. Data analysis will be performed to determine correlation between response to ICI therapy and survival time. Parametric and non-parametric statistical analyses will be performed to determine the significance of the correlations.

While it is too early to report results, this is an ongoing project of great significance that we will report on as soon as data is available.

PySpady: Sparse Multi-Dictionary Coding Python Library

[1]

[1]University at Albany - SUNY

Afternoon Poster Session - A2, Fine Arts Lobby, April 26, 2024, 1:45 PM - 2:45 PM

PySpady enables users from all disciplines to leverage state-of-the-art and classical sparse encoding algorithms and methodologies to jointly model spatial-temporal data by graph and temporal dictionaries. The current implementation efficiently exploits both structural graph regularities and temporal patterns encoded within 2D temporal graph signals (McNeil et. al, 2021) and more generally any multi-way tensors (McNeil and Bogdanov, 2023) with priors on all or a subset of modes. Users can input data in the form of either a JSON configuration file or a pandas DataFrame. This Python library is capable of performing missing value imputation, future value prediction, and downstream tasks such as outlier and community detection, along with generating visualizations and explanatory figures to derive meaningful insights. Perhaps most important is the ability to automatically configure an optimal combination of hyperparameters and dictionaries to perform the best reconstruction of a given matrix or tensor when considering missing entries. This exemplifies PySpady's accessibility and usability since prior knowledge of machine learning or statistical concepts is not required. Ample documentation and various demonstration datasets are provided to the user upon execution, including both synthetic and real-world examples. For instance, one of the datasets included in the library is based on New York City's taxi pickup and dropoff frequencies across nearly three hundred locations throughout 2017. PySpady's implementation provides an easily accessible and user-friendly solution to spatial-temporal data reconstruction along with interactive data visualization methods.

Assessing the Advantages of Robotic-Assisted vs Traditional Surgery

Stretch Threshold: Examining See-Through Issues with Spandex

Development of Water Repellent Natural Fabrics

_____[1], _____[1], _____[1], Dr. Huipu Gao[1], Prof. Sean Cornier[1], Dr. Md Imranul Islam[1]
[1]Fashion Institute of Technology

Afternoon Poster Session- A2, Fine Arts Lobby, April 26, 2024, 1:45 PM - 2:45 PM

Water repellency in textiles is a critical attribute influencing their functionality and performance in various applications. As consumers' awareness of sustainability grows, natural fabrics like cotton and hemp are preferred. However, their inherent hydrophilic nature limits their utility where water repellency is essential. This study aims to develop water-repellent cotton and hemp fabrics by applying water repellent finishing and comparing their performance with polyester fabric. Specifically, water repellent finishing will be applied to cotton, cotton/polyester blend, hemp, and polyester fabrics, followed by a

A Study Comparing Flame Resistant Properties of Polyester and Cotton Fabrics Used in Children's Sleepwear

_____[1], _____[1], Dr. Huipu Gao[1], Prof. Sean Corimer[1], Dr. Md Imranul Islam[1]
[1]Fashion Institute of Technology

Afternoon Poster Session-A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

Children's sleepwear must meet a certain flame resistance standard according to the CPSC (Consumer Product Safety Commission). Certain fabrics and structures are generally used in children's sleepwear because of their flammability properties. The objective of this study is to determine which fabric and structure are the most suitable for children's sleepwear. It will also be observed which fabric best meets industry standards and regulations regarding flame resistance. We will also repeat each test on the fabric after a few washings to observe if a change in flame resistance has occurred. The procedure for the tests will follow the standard testing method for flammability. The specimens will be suspended vertically in a metal holder. A gas flame will be applied to the bottom edge of the specimen for three seconds. The char length of each sample will be measured to determine whether it meets

Durability on Natural Dye on Swimwear

_____[1], _____[1], _____[1], Dr. Huipu Gao[1], Sean Comier[1], Dr. Md Imranul Islam[1], Ajoy Sarkar[1]
[1]Fashion Institute of Technology

Afternoon Poster Session-A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

Synthetic dyes are commonly used in bathing suits to keep the color durable in the water, but their adverse environmental impact poses a significant challenge to the textile industry. To address this issue, our group aims to naturally dye white swimwear products with flowers. Firstly, we will extract dyes from flowers and make them into a dye bath. Prior to dyeing, the fabric will undergo mordanting with aluminum sulfate to enhance the bonding between dye molecules and fibers. Additionally, the fabric will be dyed with synthetic acid dye for the purpose of benchmarking. We will compare both samples regarding their colorfastness against laundering, seawater, chlorine water, and sunlight. While we anticipate the naturally dyed sample to demonstrate acceptable colorfastness against these factors, it is expected to be slightly inferior to the synthetic dyed fabric. Our objective following the conclusion of this experiment is to raise awareness regarding the utilization of natural dyes, which will encourage their widespread use. It is key to recognize that the effectiveness of applying natural dyes may depend on the fiber content. However, our project seeks to clarify if using natural dyes is feasible in comparison to synthetic ones while promoting their advantages, such as increased sustainability, affordability, ease of use, and safety concerns.

Application of Avocado Skin Extract as Natural Dye on Hemp and Silk Fabrics

_____[1], _____, Dr. Huipu Gao, Whitney Crutchfield, Prof. Sean Cornier, Dr. Md Imranul Islam
[1]The Fashion Institute of Technology

Afternoon Poster Session-A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

The purpose of conducting a project on colorfastness in hemp versus silk dyed with avocado skin extract is to promote natural sources encompassing sustainability, consumer awareness, and innovation. The project aims to contribute to the ongoing transition towards a more sustainable and environmentally conscious fashion industry by addressing these core objectives. This study aims to (1) naturally dye hemp and silk with avocado peel waste sourced from local restaurants. (2) test the durability of color on each fabric against various factors. We will optimize the dyeing process and the extraction process from avocado skin. After that, the colorfastness of naturally dyed hemp and silk fabrics against washing, sweat, and sunlight will be evaluated. It is expected to find color change in both fabrics. We hypothesize that hemp will change color more than silk during performance tests. Chemical dyeing has significant environmental impacts, including pollution of water bodies, health risks to textile workers, and disruption of ecosystems. Natural dye is a better alternative since they are completely biodegradable, meaning it will break down on its own over time without releasing harmful pollutants into the environment or soil.

Kelp Fabric Development

_____[1], _____[1], _____[1], Dr. Huipu Gao[1], Prof. Sean Cornier[1], Dr. Md Imranul Islam[1]
[1]Fashion Institute of Technology

Afternoon Poster Session-A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

Alginate fibers, extracted from Kelp, have been widely used as wound dressing due to their ion exchange and gel-forming abilities. However, alginate fibers on their own have low tensile strength and low stability in water, limiting their applications in the textile industry. Modifications are needed to improve the performance of alginate fibers. The objective of this study is to (1) create fibers using sodium alginate: one without nanofiller (control) and another with nanofiller incorporated; (2) examine how the nanofiller increases the performance of sodium alginate fiber; (3) compare the performances of two different biomass fibers for their potential applications in the textile industry. To get started, sodium alginate powder will be mixed with distilled water to create a solution. This solution will be spun in a calcium chloride water bath to create the control fiber. As for the nanofiller fiber, the nanofiller will be added to the sodium alginate solution before spinning. After drying, tests such as strength and stability in water will be performed on both fibers. It is expected the nanofiller added to sodium alginate will help increase tensile strength and water stability. Nanofiller has high strength and good stiffness, which makes it an ideal reinforcer for alginate fibers. There is increased awareness and global market demand for sustainability. Kelp polysaccharide is an excellent resource due to its abundance and biodegradability. This study will provide empirical insights into the properties and improvements of adding nanofillers into alginate fibers, thereby contributing to the advancement of sustainable textile materials.

Comparative Analysis of Wool and Synthetic Activewear: Assessing Durability and Sustainability

Prof. Sean Cornier[1], Dr. Md Imranul Islam[1], _____[1], _____[1], _____[1]

[1]Fashion Institute of Technology

Afternoon Poster Session- A2, Fine Arts Lobby, April 26, 2024, 1:45 PM - 2:45 PM

In recent years, synthetic materials have dominated the activewear industry due to their affordability and performance attributes. However, with an increasing emphasis on sustainability from consumers, wool has experienced a resurgence as a favored fiber in activewear. Wool offers natural moisture-wicking abilities, durability, and environmental benefits, making it an attractive option for eco-conscious consumers. Assessing the sustainability and performance of both wool and synthetic fibers is critical in informing activewear production decisions in the context of evolving consumer preferences. This research aims to compare the durability and performance capabilities of wool and synthetic fibers in activewear, focusing on moisture management, abrasion resistance, and washing durability. Wool and synthetic leggings will be subjected to standardized tests for moisture management, abrasion resistance, and washing durability. Moisture Management Testing (MMT) will be conducted to measure the fabrics' ability to transport moisture away from the body. Abrasion resistance will be evaluated using the Martindale method, simulating wear

Synthesis of Chitosan Based Super Absorbent Polymer

_____[1], Dr. Huipu Gao[1], Ajoy Sarkar[1], Dr. Md Imranul Islam[1], Prof. Sean Cornier[1]
[1]Fashion Institute of Technology

Afternoon Poster Session- A2, Fine Arts Lobby, April 26, 2024, 1:45 PM - 2:45 PM

Baby diapers consist of multiple layers, including a top sheet, acquisition/distribution layer (ADL), absorbent core, and backsheet. The absorbent core, the thickest part of the diaper, consists of wood pulp and superabsorbent polymer (SAP). According to EDANA, a leading global nonwoven association, the composition of a regular diaper includes about 35% wood pulp, 33% SAP, 17% Polypropylene (PP) nonwoven, 6% PE Film, 4% adhesive, and other minor components. Except wood pulp, the remaining materials in diapers are non-biodegradable. It is worth noting that a baby consumes approximately 5,000 diapers in average during their first three years. Due to contamination and hygiene concerns, recycling these diapers is impractical, making them the third-largest single consumer item in landfills. The non-biodegradability, non-recyclability, and high consumption of diapers create an immeasurable impact on the environment, and there is no sign of ending. Therefore, it is imperative that diapers be made with more environmentally friendly materials in efforts to tackle the climate crisis and be in accordance with the United Nations Sustainable Development Goals. Chitosan, a promising candidate for this purpose, is the second most abundant natural biopolymer found in the exoskeleton of crustaceans, insects, fungi, and nematodes. Through chemical crosslinking, Chitosan can exhibit similar or higher absorbency compared to conventional SAP. Utilizing an environmentally benign method to hydrothermally synthesize chitosan, citric acid, and urea, this preliminary research serves to compare the water absorption capacities of Chitosan-based super absorbents as a replacement for conventional synthetic SAP.

Moisture Impact on Wool Fiber Insulation

_____, _____, _____[1], Dr. Huipu Gao,
Prof. Sean Cornier, Dr. Md Imranul Islam
[1]Fashion Institute of Technology

Afternoon Poster Session- A2, Fine Arts Lobby, April 26, 2024, 1:45 PM - 2:45 PM

There's an old theory that goes around in the protein fiber community that says wool retains its insulation properties up to 80% when it's completely wet. In this experiment, we are going to test that theory along with the insulation capabilities of other protein fibers like mohair, vicuna, camel, and alpaca when wet. The objectives of this study are to (1) determine if it's true that wool retains 80% of its insulation capabilities when wet, and (2) compare the dry and wet insulation properties of other protein fibers to the wool results to see if they differ at all. To conduct this experiment, we will apply moisture into the fabrics and test the insulation of all samples at different % moisture pick-up (100%, 50% 30% 0%). We expect to observe that wool will lose some insulation with the increase of moisture pickup, but it may still be able to retain most of its insulation properties when wet. We also expect that when we compare the wool insulation values to the other protein fibers, they will be different. Overall, we hope to find out how moisture impact the insulation of various protein fibers and then apply what we have learned to some winter wear, in particular, wool ski socks. This research is crucial given the challenges of moisture accumulation in ski boots and its impact on foot comfort.

Waterproof Fabric Made from Styrofoam Waste

_____[1], _____[1], _____[1], Prof. Sean Cornier[1], Dr. Huipu Gao[1], Prof. Sean Cornier[1], Dr. Md Imranul Islam[1]
[1]Fashion Institute of Technology

Afternoon Poster Session- A2, Fine Arts Lobby, April 26, 2024, 1:45 PM – 2:45 PM

Waterproof and breathable fabrics, such as Gore-Tex, are extensively employed in apparel to provide warmth and dryness to consumers. These products feature a microporous membrane that prevents water droplet penetration while allowing the passage of moisture vapor, ensuring breathability and waterproofness. Nonetheless, these products are associated with sustainability concerns. This project aims to address this issue by repurposing waste Styrofoam into nanofiber nonwoven film through electrospinning, thereby creating a more environmentally friendly alternative. Firstly, waste Styrofoam materials will be dissolved to create solutions with different concentrations. The solutions will then be spun into nanofiber nonwoven using an electrospinning machine. Parameters such as voltage, feed rate, distance between spinneret and collector, will be optimized. Nanofiber nonwoven is fragile and cannot be used independently. Thus, we plan to create a three-layered prototype fabric using upcycled Styrofoam electrospun nonwoven membrane as a middle layer, bonded to two lightweight waterproof cotton fabrics. Performance tests will be conducted to assess its waterproofing capabilities and breathability. It is expected that our fabric textile can demonstrate satisfactory breathability and waterproofness. The final product of this study can provide a more sustainable alternative for those high-performance fabrics, allowing for functionality in multiple end products including activewear, outdoor equipment and accessories.

Care and Performance: A Study on Stain Removal E□ectiveness

_____[1], _____[1], Dr. Huipu Gao[1], Prof. Sean Cornier[1], Dr. Md Imranul Islam[1]
[1]Fashion Institute of Technology

Afternoon Poster Session- A2, Fine Arts Lobby, April 26, 2024, 1:45 PM – 2:45 PM

Background: Color cosmetics such as concealer and foundation are daily beauty necessities for consumers worldwide. These products promise to cover, smooth, and enhance skin tone, texture, and finish on one's face and neck. However, when foundation is transferred to clothes it may produce unpleasant beige or brown stains on the surface of the textile that are difficult to remove. Objective: Thus, this study aims to investigate the effectiveness of the market's top-selling commercial detergents against the stains from silicone-based face makeup on different fabrics: cotton, polyester, and acrylic. Method: The following will be used: two commercial detergents, classic Tide, and a plant-derived free and clear alternative; one liquid foundation; and three white woven fabrics. A quarter-sized amount of makeup will be applied to the fabrics with the stain left to set for 5 minutes. One swatch of each will be laundered with either detergent. After laundering, the fabrics will be air-dried. The depth of staining will then be evaluated using AATCC's Grey Scale and Spectrophotometer. Expected Findings: It is expected that the detergent containing standard surfactants, enzymes, and polymers may perform better. In addition, the fabric color and material type will also affect the degree of staining. Conclusions and Implications: This study will help determine the viability of cleaning power and fabric care in removing makeup stains from natural and synthetic fabrics. Furthermore, there are implications for extending the lifecycle of textiles in the marketplace due to premature discarding from everyday makeup stains.

Reverse Engineering Desserto® Cactus Leather and Verifying it as a Sustainable Leather Alternative.

_____[1], _____[1]
[1]Fashion Institute of Technology

Afternoon Poster Session- A2, Fine Arts Lobby, April 26, 2024, 1:45 PM – 2:45 PM

The fashion industry faces a dilemma concerning the use of natural leather and its environmental impact. While animal leather offers desirable attributes such as durability, breathability and flexibility, for shoemaking, handbags and outerwear, its production involves processes like tanning, which use chromium, a toxic substance with harmful effects on the environment and other irresponsible processing that contributes to heavier carbon footprints resulting in environmental degradation. In response to increasing concerns about sustainability, there has been a shift towards utilizing plants in manufacturing leather like materials. Cactus leather, prepared by a brand named Disserto, has emerged as one such sustainable alternative, offering a promising solution to mitigate the environmental footprint created by traditional animal-based leather. This cactus-based leather presents a considerably lower environmental footprint compared to both traditional and synthetic leather, as indicated by the preliminary Life Cycle Assessment (LCA) available on the Desserto® website (Desserto, 2022). However, there remains some ambiguity regarding its complete biodegradability, as it is only stated to be PVC-free and still contains approximately 28% of either bio polyurethane or synthetic polyurethane (MoEa, 2022). Although Desserto claims that their cactus leather is sustainable, there has not been enough research to support their claims. This study therefore, focuses on analyzing the Disserto's cactus leather for biodegradability, and chemical fingerprinting using an FTIR. Other tests include observing and analyzing Scanning Electron Micrograph, abrasion resistance, flammability, Differential Scanning Calorimetry and CLO value.

Investigating Transferable Skills: An Urban Study

Keith Baessler[1], _____[1], _____[1]
[1]

Exploring Inner Speech, Self-Identity, and Well-being: The Impact of Sel□e Engagement

_____[1]
[1]SUNY Plattsburgh

Afternoon Poster Session-A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM – 2:45 PM

In Study 1 of this research initiative, we explored the relationship between personal identity and well-being through inner speech. Inner speech experiences, including time orientations and perspectives, were correlated with well-being, authenticity, and meaning in life. Specific inner-speech variables consistently predicted outcomes, even after considering personality traits. In current research, we aimed to establish causality, by manipulating participants' self-awareness. We administered an online self-report survey to 10 participants, randomly assigned to selfie or non-selfie conditions. As part of the survey, Participants were asked to upload a picture of either themselves (selfie) or a nearby object (non-selfie). Participants also reported their social media use, current inner speech, levels of self-consciousness and self-absorption, and their current thoughts and feelings about authentic living, meaning in life, and well-being. Participants in the selfie conditions reported higher levels of self-critical inner speech and public self-consciousness than those in the non-selfie condition. Statistically non-significant but marginal trends suggest increased inner speech about how others perceive them and higher private self-consciousness in the selfie condition. However, no significant differences were observed in authenticity, subjective well-being, or meaning in life, though marginal indications of greater self-alienation, lower positive affect, and lower life satisfaction were noted in the selfie condition. Overall, taking selfies appears to correlate with heightened self-criticism and public self-awareness, with potential implications for psychological well-being.

Identifying protective factors in LGBTQ+ suicide risk: The impact of community and authenticity

_____[1]
[1]SUNY Old Westbury

Afternoon Poster Session - A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM – 2:45 PM

The goal of the present study was to establish if positive components of Lesbian, Gay, Bisexual, Transgender Queer/Questioning (and related; LGBTQ+) identity can moderate suicide risk. More specifically, we aimed to determine if a sense of belonging within the LGBTQ+ community and embracing one's LGBTQ+ identity (authenticity, outness, and self-acceptance) moderated the link between adverse childhood experiences (ACEs) and history of bullying to lifetime history of suicidal ideation (SI) and suicidal attempts (SA). To address this, a sample of 260 LGBTQ+ participants completed assessments of ACEs, history of bullying, positive LGBTQ+ identity (authenticity, community, self-awareness,

Inclusive Education through Automated Grading: Leveraging Large Language Models

[1]Student

Afternoon Poster Session-A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

This project introduces an AI-driven test-taking application designed to alleviate barriers encountered by students with exam anxiety, writing difficulties, typing constraints, or speech impediments. Leveraging the Google Gemini Pro multimodal model, the application generates questions and an answer key from textual content, thus providing a novel avenue for inclusive assessment practices.

The methodology involves the presentation of questions to users, who respond using speech-to-text functionality seamlessly integrated into the application's user interface. Through this process, spoken responses are efficiently transcribed into text format, facilitating a smooth comparison with the answer key through sophisticated AI algorithms. This innovative approach not only simplifies the examination process but also ensures equitable access to assessments for students with diverse needs.

Furthermore, the application autonomously grades the exam, eliminating the need for manual assessment and offering educators more time to focus on personalized instruction. By embracing AI technology, this initiative not only addresses immediate challenges in educational evaluation processes but also paves the way for future advancements in adaptive learning methodologies.

This initiative serves as a testament to the transformative potential of AI-driven solutions

Perceptions of Creepiness: Characteristics of People Who 'Creep' Us Out

_____[1], _____[1]
[1]Farmingdale State College

Afternoon Poster Session - A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

Extant literature on creepiness focuses on approximations of human behavior made by non-human entities typically in the context of an artificial intelligence of human-like robot. There is a dearth of research surrounding creepiness as a psychological phenomenon. Prior research has found that creepiness appears to be a distinct feeling-state centered around the ambiguity of threat, both physical and sexual. Additionally, research has revealed that men are considered to be overwhelmingly creepy compared to women. The aim of the current study was to replicate past findings as well as introduce elements from research on morality, emotion, and facial processing. Over 100 Farmingdale State College students from a diverse ethnographic background reported behaviors, occupations, and hobbies that they deemed to be 'creepy' based on prior experiences and hypothetical scenarios and provided ratings of perceived attractiveness, trustworthiness, dominance, and creepiness of a standardized set of male faces. Results showed that individuals thought to be creepy were: untrustworthy, unattractive, disgusting, morally bad, and lacking moral standards. Among reported creepy hobbies, behaviors surrounding collecting or watching heavily present in the data. Concerning occupations, clowns were among the creepiest professions, followed by occupations associated with death and sex (morticians and sex shop owners)—replicating past findings. Finally, imagined scenarios of encountering a creepy person were thematically tied to behaviors that were considered socially abnormal and appearances that indicated poor hygiene or lack of care for self-image.

Mental Health Bene□ts of Physical Activity

[1]

[1]SUNY Westchester Community College

Afternoon Poster Session-A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

It is common knowledge that physical activity is good for one’s physical health. But is there a correlation between physical activity and happiness? This presentation will review evidence that proves the positive impact of physical exercise, including such basic activities as the number of steps taken each day, on one’s mental and emotional well-being. It will address the role of exercising in the stimulation of mood-related hormones (endorphins,

The Importance of Writing and Choice in the Classroom

[1]
[1]SUNY Old Westbury

Afternoon Poster Session - A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

Incorporating writing in the classroom is a very important piece of education for students and their academic development. As I observe my fifth-grade students working on their writing notebooks, I have found many benefits and a great excitement for writing in the students. When we incorporate the aspect of choice in any kind of work in our classrooms, the students are more likely to thrive in their learning. These writers' notebooks allow students a choice to write about something they love, have always thought about, or seems to hold a special place in their brain. When the classroom teacher or I ask the students to take out their writers' notebooks, the students cheer. They take pride in their personalized

The mathematical relationship between machine learning and math

_____[1], _____[1], _____[1]

A Comparison of the Nordic, Canadian and American Healthcare Systems

[1]

[1]SUNY Westchester Community College

Afternoon Poster Session - A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

The United Nations World Happiness Index shows that Nordic countries, such as Finland, Sweden, Norway, and Denmark have consistently held the highest happiness ratings in recent years, with Finland placing first for the past five consecutive years. These countries combine a capitalist economy with generous social benefits, and the health policies they embrace have a significant impact on the levels of life satisfaction among their citizens. This presentation will provide a review of the Nordic healthcare system, with a focus on funding through general taxation, which covers 75 – 85% of the costs of health services, and high quality, which is evidenced by patient satisfaction of approximately 80%. A comparison will be drawn between the approach to health care in Scandinavian countries and Canada, where policies implemented by the government under the Canada Health Act are also funded through general tax revenue which allows for public health coverage of 100% of the population in each territory and province. The presentation will attempt to explain why such models are not likely to be adopted in the United States, and it will analyze efforts to improve the American healthcare system through the Affordable Health Care Act, spearheaded by the Obama administration, and subsequent Medicare for All proposals, championed by Bernie Sanders.

Arhtrobacter globiformis NRL B-2880 bacteriophages Isolated and Characterized from local soils in Long Island

_____[1], _____, _____, _____
[1]SUNY Old Westbury

Afternoon Poster Session- A2, Fine Arts Lobby, April 26, 2024, 1:45 PM - 2:45 PM

SUNY Old Westbury joined the 10th Cohort of HHMI SEA-PHAGES in 2017. The phage discovery component was integrated into the general biology I laboratory (BS2401). Herein we report the results of the Phage Discovery component. The course enrolled 15 students. Nine bacteriophages were isolated using an enriched isolation. All of them were isolated from soils in Nassau or Suffolk counties. The phages were isolated and purified at SUNY OW. All of them have a Syphoviridae morphotype with a head and a non-contractile flexible tail. One of them, Turab, was sequenced at the University of Pittsburgh. It is a temperate phage 43,119 base pairs long, and 66.9% GC content and it belongs to the AZ1 cluster. It was isolated by Gabriella Azab and Verina Anis from soil from a garden on campus. It forms plaques of 3.6 ± 0.55 mm in diameter and a titer of 2.52 x 1010 PFU/ml.

Forensic Identi□cation of Old Bones: Are They Animal or Human?

_____[1]
[1]SUNY Adirondack

Afternoon Poster Session - A1, Sagtikos Lobby 1st floor, April 26, 2024, 1:45 PM - 2:45 PM

The discovery of skeletal remains raises the forensic question – are bones encountered in ambiguous circumstances from an animal or human? DNA testing can provide an answer; however, bone is a difficult tissue to extract DNA from, particularly when it has been exposed to degrading elements in the environment. The objective of this research is to provide and determine a method that can clearly identify bones of ambiguous nature and circumstance on a molecular level by extracting a sufficient amount of DNA and using

Double-Detonation Modeling of Type Ia Supernovae

[1]

[1]Stony Brook University

Afternoon Poster Session-B1, Sagtikos Lobby 1st floor, April 26, 2024, 3:00 PM - 4:00 PM

Computational astrophysics serves as a powerful tool in helping us understand the universe. By utilizing advanced techniques, we can investigate the behavior of celestial objects such as stars, galaxies, and black holes, and explore their interactions, evolution, and fundamental properties. In our research, we use the AMReX and Castro stellar hydrodynamics simulation codes to study double detonation Type Ia supernovae. In the double detonation model, a detonation begins in the accreted helium layer on the surface of a low mass white dwarf, driving a compression wave that converges at the center and ignites the carbon-oxygen core. Castro solves the compressible Euler equations and general stellar equation of state over time, simulating the hydrodynamic interactions and nuclear reactions that occur during the supernova explosion. Our aim is to assess the likelihood and characteristics of a double detonation based upon various initial factors such as chemical composition, core and accretion layer masses, initial helium explosion parameters, and simulation spatial resolution. Notably, we find that our codes replicate the results of the previously published scientific literature at coarser spatial resolutions, which can potentially save computational cost for future researchers. This work is supported with funding from the National Aeronautics and Space Administration (NASA) and the NASA New York Space Grant Consortium.

Brain evolution in threespine stickleback □sh (Gasterosteus aculeatus) from recently transplanted and long-established lake populations in Cook Inlet, Alaska

_____[1], Dr. Peter Park[1], Dr. Michael Bell[2]
[1]Farmingdale State College, [2]University of California Museum of Paleontology

Afternoon Poster Session-B1, Sagtikos Lobby 1st floor, April 26, 2024, 3:00 PM - 4:00 PM

This project analyzes brain evolution in lake populations of Alaskan threespine stickleback (Gasterosteus aculeatus) that were recently founded by sea-run stickleback. Stickleback are a small fish species that have a life cycle much like salmon, where they are born in freshwater, travel out to sea to mature, and then return to freshwater to breed. Sometimes, when stickleback return to freshwater, they will breed in lakes which may get landlocked, after which the sea run forms evolve into freshwater forms over many generations. Several lakes in southcentral Alaska have been recently founded by sea-run populations - some naturally founded and some founded intentionally introduced by humans. This study explores the impact of time on stickleback brain evolution because these newly transplanted stickleback populations are recent and have known founding years. For this study, samples were collected from Loberg Lake founded in 1985, Cheney Lake was founded in 2009, Warfle Lake founded in 2019, and two lakes along Seward Highway (one founded in 1914 and the other in 1966). A sea-run ancestral population (Rabbit Sough) and a pair of long-established lake populations (likely thousands of years old), were analyzed to provide context for any trends in brain evolution discovered in the “new” lake populations. More broadly, this project seeks to explore pat24 lio

The E□ect of Low-Intensity Vibration (LIV) on the Proliferation and Exhaustion of T-Cells

_____[1]
[1]Stony Brook University

Afternoon Poster Session-B1, Sagtikos Lobby 1st floor, April 26, 2024, 3:00 PM - 4:00 PM

CAR-T therapy is a promising immunotherapy that reprograms a patient's T-cells to target cancer. Importantly, the average age of cancers that CAR-T therapy is indicated for (DLBCL, follicular lymphoma, etc.) is over 65 years old. This becomes an issue for CAR-T therapy as older patient's T-cells are known to be less functional and less sensitive to activation signals, leading to less functional CAR-T cells upon reintroduction to the patient. Issues of exhaustion, decreased proliferation and impaired effector function are common in these impaired cells. The sensitivity of these cells is a critical factor, and both T-BET and ß-Catenin play pivotal roles as important intermediaries in the T-cell activation pathway. The Chan/ Rubin lab has focused on the mechanosensitivity of mesenchymal stem cells (MSCs) for over 30 years. Previous studies have shown that mechanical stimulation of MSCs improves the proliferation of MSCs and recent data from the lab indicates a similar effect in T-Cells as well as a reduction in PD-1 expression. This pilot study was conducted to assess the effect of low-intensity vibration (LIV) on the proliferation of T-cells in elderly patients. To test this, whole blood from the Stony Brook Blood Bank was isolated from 2 individuals (aged 23 and 65). Each of these samples were divided into control and LIV groups. All T-Cells were treated with IL-2 (10ng/mL), CD3+/CD28+ DynaBeads (1:10, DynaBeads:Cells)The experimental LIV group was exposed to LIV stimulation (0.7 g; g = 9.8m/s2, 30Hz for 1 hour twice daily with a two-hour rest period) for 5 days while control group was sham handled. Real-Time rtPCR of the T-BET gene was performed on day 5 with a GAPDH endogenous control. In the older patient sample, there was a 57% improvement in proliferation, in the younger patient sample there was an inconclusive change in proliferation. Furthermore, T-BET expression analysis suggests that there is no significant change in the expression of T-BET between Control and LIV groups. This pilot study indicates LIV may represent a method to improve proliferation of T-cells in patients older than 65.

Cucurbit[7]uril's Binding Mode to Aspartame: Understanding Interactions with an Artificial Sweetener

_____[1], _____[1]
[1]

[1]
[1]Department of Physics and Astronomy, Stony Brook University

Afternoon Poster Session-B2, Fine Arts Lobby, April 26, 2024, 3:00 PM - 4:00 PM

The burgeoning field of condensed matter physics has been significantly enriched by the exploration of superlattices in two-dimensional (2D) materials, particularly through the study of moiré patterns formed by the stacking of graphene and hexagonal boron nitride (hBN). These patterns, characterized by their unique ability to modulate electronic properties, hold the potential to unlock a plethora of quantum phenomena, including the enigmatic Hofstadter Butterfly effect and the emergence of isolated energy bands. This research proposal aims to delve into the intricate world of moiré superlattices, focusing on the potential of these patterns to herald a new era of superconducting materials.

Our methodology revolves around the precise selection and stacking of graphene and hBN flakes, followed by an innovative process of transferring these stacks onto a flexible plastic substrate. By mechanically bending this substrate, we propose to manipulate the moiré patterns, thus facilitating a novel approach to study their impact on the material's electronic properties. Through the application of tension, we aim to enhance the visibility and measurability of quantum effects, employing electrodes attached to the stack to observe the electronic behavior under various conditions, including low temperatures and high magnetic fields.

The significance of this research transcends the realms of fundamental physics, promising implications for the development of advanced electronic devices and quantum computing technologies. By pioneering a method to alter the characteristics of moiré patterns, this study not only contributes to our understanding of emergent electronic behaviors in 2D materials but also paves the way for exploiting these phenomena in practical applications. Through this exploration, we anticipate revealing new insights into the quantum world, potentially unlocking groundbreaking technologies in electronics and beyond.

Assessing the Thermal Conductivity, Moisture Transport, Fire Resistance and Mechanical Properties of Hempcrete

---

Afternoon Poster Session-B2, Fine Arts Lobby, April 26, 2024, 3:00 PM - 4:00 PM

Hempcrete, a sustainable building material composed of hemp shiv, lime, and water, presents a promising eco-friendly alternative to traditional insulation. Recognized for its

Ciliary Proteomics: Identi□cation of Novel Chibby-Interacting

Algae v. Kerosene

[1]
[1]Suffolk County Community College

Afternoon Poster Session-B2, Fine Arts Lobby, April 26, 2024, 3:00 PM - 4:00 PM

Title: Algae v. Kerosene
At some point, there will be a depletion of fossil fuels and renewable energy will be the only source of energy. It is noted that due the exponential increase in population, the demand for travel, particularly air travel is at an all-time high. With this demand, there come as cost to our environment's rate of carbon emission. Jet A fuel, predominantly used powered by kerosene, is extensively utilized in commercial and military aviation. One of the most significant sustainable alternatives to kerosene in said fuel, being studied is algae, primarily it's exchange in the aviation industry. Algae is one of the leading crops being studied due to its versatility, its ability to be cultivated in different environments, and high growth rate. This research is a comparative study of the two aviation fuels which will ultimately demonstrate the environmental advantages of using algae-based fuel outweighs its disadvantages. The primary focus is to investigate the amount of carbon emission produced by each fuel throughout their life cycle, factoring in the extraction, harvesting and utilization of both fuels. Additionally, it delves into the potential future economic and political ramifications, outlining the necessity of supportive policies to facilitate the adoption of sustainable aviation.

Arhtrobacter globiformis NRL B-2880 bacteriophages Isolated and Characterized from local soils in Long Island

_____[1], _____[1], _____[1], Ms. Zara Kabir[1]
[1]SUNY Old Westbury

Afternoon Poster Session-B1, Sagtikos Lobby 1st floor, April 26, 2024, 3:00 PM - 4:00 PM

SUNY Old Westbury joined the 10th Cohort of HHMI SEA-PHAGES in 2017. The phage discovery component was integrated into the general biology I laboratory (BS2401). Herein we report the results of the Phage Discovery component. The course enrolled 15 students. Nine bacteriophages were isolated using an enriched isolation. All of them were isolated from soils in Nassau or Suffolk counties. The phages were isolated and purified at SUNY OW. All of them have a Syphoviridae morphotype with a head and a non-contractile flexible tail. One of them, Turab, was sequenced at the University of Pittsburgh. It is a temperate phage 43,119 base pairs long, and 66.9% GC content and it belongs to the AZ1 cluster. It was isolated by Gabriella Azab and Verina Anis from soil from a garden on campus. It forms plaques of 3.6 ± 0.55 mm in diameter and a titer of 2.52 x 10^10 PFU/ml.

Photochemical reactions: a possible route to direct dark matter detection

[1]

[1]Stony Brook University

Afternoon Poster Session-B1, Sagtikos Lobby 1st floor, April 26, 2024, 3:00 PM - 4:00 PM

Dark matter, a substance discovered by its gravitational effect, has a mysterious nature. With various proposed models, the potential mass range of dark matter particles spans widely, necessitating comprehensive detection efforts. In this poster, we present a novel approach targeting the lighter mass range of dark matter particles. The main idea is to use a controlled photochemical reaction for direct detection of dark matter particles. Dark matter particles could excite the transition between two conformers of a molecule causing a photon emission after de-excitation. In this scenario, azobenzene emerges as an optimal candidate due to its simplicity and well-understood nature, coupled with a vanishing barrier between its two conformers during isomerization, triggered by light energy fluctuations. Presently, our foc raection effond well-understood nature, c 44.769 0prehaection ef-Telywe ues. T

The Mathematical Beauty of the Golden Ratio and the Metallic Means

_____[1], _____[1]
[1]Suffolk County Community College

Afternoon Poster Session-B2, Fine Arts Lobby, April 26, 2024, 3:00 PM - 4:00 PM

The concept of the Golden Ratio, symbolized by the uppercase Greek letter Phi ( ), has long fascinated mathematicians, artists, and scientists alike due to its pervasive appearance in nature, art, architecture, and even financial markets. This research delves into the mathematical foundations underlying the Golden Ratio, exploring its connection with the quadratic formula and the Fibonacci sequence, and extending the discussion to the broader family of Metallic Means. The investigation begins by explaining the derivation of the Golden Ratio, = (1+ 5)/2, from the equation $x^2 – x – 1 = 0$. The Fibonacci sequence reveals the connection between Fibonacci numbers and Phi. Expanding beyond the Golden Ratio, Metallic Means, enclose a family of irrational numbers obtained from generalizing the quadratic equation initially used to derive Phi. Each Metallic Mean is represented as a solution to $x^2 – px – 1 = 0$ (where p is a positive integer) and exhibits unique properties and relationships reminiscent of the Golden Ratio. In our research, we will highlight the fundamental role of quadratic equations and the Fibonacci sequence in understanding the Golden Ratio and extend this understanding to the broader context of Metallic Means. By dissecting the mathematical structures that underpin these ratios, the research illuminates the universal principles of harmony, proportion, and continuity, offering a deeper appreciation for the elegance and correlation of mathematical phenomena.

“Wealth and Happiness: A Global Perspective”

[1]

[1]SUNY Westchester Community College

Afternoon Poster Session-B1, Sagtikos Lobby 1st floor, April 26, 2024, 3:00 PM - 4:00 PM

By analyzing the most recent data from the annual World Happiness Report, this presentation will explore to what extent a country’s economic advancement affects the happiness and life satisfaction of the citizens. In its totality, the report does seem to indicate that the happier countries are those that are more economically prosperous and politically stable. However, a closer look at the WHR ratings reveals that the situation is more complex. This will be illustrated through a comparison of six countries – Finland, the United States, the United Arab Emirates, Jordan, India, and Afghanistan. In this group, only Afghanistan shows a direct correlation between a GDP and a happiness ranking. In the case of the other five countries, such a correlation is absent. For example, the happiness ranking of the United States does not match how high its GDP levels are, and despite having the second highest GDP on that list, India ranked below the United Arab Emirates and Jordan. Data related to the Gross National Income (GNI), which looks at an estimate of the average salary in a country, reveal similar discrepancies. The presentation will examine what other factors play a role in reported perceptions of happiness and how this information should be utilized in the ongoing efforts to foster global prosperity and economic equity through international business initiatives.

Academic Mindset, Behaviorism, and Self-Advocacy

Boron Isotope Analysis of Algaes and Angiosperms

The Sunchoke Garden Project : A Nutritional Treasure Unveiled — Cultivating Health, Mindfulness, and Resilience

_____[1], _____[1]
[1]SUNY Old Westbury

Afternoon Poster Session-B2, Fine Arts Lobby, April 26, 2024, 3:00 PM - 4:00 PM

Despite its rich nutritional profile and potential health benefits, the sunchoke, a Native American plant, remains largely unrecognized in mainstream diets. This proposal seeks to shed light on the nutritional and therapeutic attributes of the sunchoke, emphasizing its role in promoting digestive health, managing diabetes, fostering mindfulness, and cultivating resilience.

Sunchoke, also known as Jerusalem artichoke, is a powerhouse of essential vitamins, minerals, and prebiotic fiber, particularly inulin, which aids in digestion and regulates blood sugar levels akin to insulin. Moreover, its high fiber content induces satiety, contributing to weight management and overall well-being. By integrating sunchoke into daily diets, individuals can embrace a holistic approach to health and nutrition.

Beyond its nutritional value, incorporating sunchoke into culinary practices fosters mindfulness. By savoring the flavors and textures of sunchoke-infused dishes, individuals cultivate a deeper connection with their food, promoting mindful eating habits and heightened sensory awareness.

At SUNY Old Westbury, sunchoke cultivation is approached with an adventurous spirit, observing its symbiotic relationship with other plants like morning glory. This interplay illustrates resilience and coexistence, offering valuable lessons for students and the community at large. Sunchoke cultivation serves as a form of plant therapy, fostering resilience and adaptability in the face of challenging environments.

Through research, education, and community engagement initiatives, this proposal aims to elevate awareness and appreciation for the sunchoke's nutritional, therapeutic, and ecological significance. By incorporating sunchoke into diets and educational curricula, individuals can unlock its potential to enhance health, mindfulness, and resilience, paving the way for a healthier and more harmonious relationship with food and the environment.

Uranium-Lead Dating of Long Point Limestones

_____[1]
[1]Stony Brook University

Afternoon Poster Session-B2, Fine Arts Lobby, April 26, 2024, 3:00 PM - 4:00 PM

Uplift of the Colorado Plateau created many notable features such as the Grand Canyon. The timing and reasons for this uplift are still being investigated, and models for uplift are often controversial, with timing estimates ranging from 80 to 6 Ma. On top of the Grand Canyon sequence are rim gravels, whose timing provides a means of testing some models for the Colorado Plateau uplift. Long Point limestones are thought to be lacustrine (lake) carbonates found within the Music Mountain Formation on the Coconino Plateau in Arizona. Notable outcrops that have been previously studied occur at Black Tank, Duff Brown Tank, and Mexican Tank. These limestones, dated by U-Pb isotope dilution in previous studies, are 66-60 Ma (Hill 2016). This project will investigate the duration of the lacustrine system

Fluorite Deposits Associated with Southwest Cordillera Collapse

[1]

[1]Stony Brook University

Afternoon Poster Session-B2, Fine Arts Lobby, April 26, 2024, 3:00 PM - 4:00 PM

The collapse of the Southwest Cordillera and the processes associated with it have played a significant role in shaping the current landscape. This region included the stationary and stable Colorado Plateau which was flanked by highlands. The Mogollon Highlands were a region characterized by high-elevation plateaus that existed across what is now the Transition Zone of Arizona. The collapse of the Southwest Cordillera occurred from about 36 million years ago to the present day. The collapse migrated with the initiation and growth of the Pacific-North American plate transform boundary. The migration of this system produced transtensional strain that triggered a collapse, the timing of which is captured in geodynamic models. The Mogollon highlands collapsed between 30-20 Ma with a pattern of southeast (older) to northwest (younger) collapse. Fluorite deposits are found across the Transition Zone and we hypothesize that the timing of this mineralization corresponds to the timing of collapse. Fluorite deposits were found in the Jumbo Mine in Central Arizona. Samples are being characterized petrographically and will be dated with U-Pb Laser Ablation Inductively Coupled Plasma Mass Spectrometry (LA- ICP- MS). Dating the fluorite deposits will test a hypothesis that fluorite forms during transtensional strain and should represent the timing for the extensional collapse in this specific region. Based on the geodynamic model, we expect these dates to be around 25 Ma.

Fluorite Deposits in the Great Basin Following its Formation

[1]

[1]Stony Brook University

Afternoon Poster Session-B2, Fine Arts Lobby, April 26, 2024, 3:00 PM - 4:00 PM

Hot springs and geothermal wells in the Great Basin of the Western United States (WUS) have increased fluorine and 3He/4He ratios with a mantle signature. Fluorite (CaF2) is a common fluorine mineral and fluorite deposits in the WUS have a noticeable association with transtensional crustal extension based on geodynamic models (Bahadori et al., 2022). However, the age of the fluorite deposits is inadequately known and based only on proximity to dated volcanic rocks and cross-cutting relationships. Uranium-lead (U-Pb) dating of fluorite with laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS), can test the timing of formation and compare it to the geodynamics model. The geodynamics model shows that as the San Andreas strike-slip fault between the Pacific and North American plates formed and began to move northward, the WUS experienced intense extension which led to the gravitational collapse of paleo-highlands forming what is today the Basin and Range province of the WUS. Diamond Queen Mine is located in proximity to Beatty, Nevada, on the outskirts of Kingman Arch, the junction of the ancient Nevadaplano and Mogollon Highlands topography. Samples from the Diamond Queen Mine contained mineral phases such as fluorite, quartz, feldspars, calcite, and other carbonates. The fluorite from Diamond Queen should theoretically be about 15-5 million years old based on the geodynamics models, which show the topography in the area to collapse around then. We may test the exact dates by using U-Pb dating of the fluorite samples with LA-ICP-MS.

Boron isotope analysis of Phragmites to investigate plant boron physiology

_____[1]
[1]Stony Brook University

Afternoon Poster Session-B1, Sagtikos Lobby 1st floor, April 26, 2024, 3:00 PM - 4:00 PM

Working to understand Phragmites spp. physiology, we investigated their ability to uptake boron (B) from their aquatic environments. B is a critical element to plant physiology, especially in relation to cellular structure. We collected Phragmites in spring and fall 2023 from three wetlands: Setauket Pond and Flax Pond on Long Island and Plum Island in Massachusetts. Two samples from each of these wetlands were used, and we sampled both leaves and stalks from each sample. Half of each of the samples were leached in 2% nitric acid for 2-3 weeks, while the other half of the samples were ashed in a furnace at 500°C for two hours. The ash samples were then dissolved in 2% nitric acid. Both leached and ashed samples went through B chemistry before instrumental analysis. The results of concentration analysis show Phragmites leaves had a higher concentration of B than the stalks, in both leached and ashed samples. The leached leaves had an average of 6.82 ppm while the leached stalks had an average of 2.86 ppm. The ashed leaves had an average of 131 ppm while the leached stalks had an average of 27.10 ppm. Overall, these data show that ashed samples return a higher B concentration than their leached counterparts. This result indicates there are physiological structures within Phragmites that trap B, making leaching alone inadequate for B extraction. Additionally, preliminary data has shown that there may be an increase in B concentration in Phragmites leaves from spring to fall, indicating seasonal changes in B physiology. In conclusion, of the two methods, leaching vs. ashing, we now know Phragmites need to be ashed for complete B extraction. Also, knowing leaves have the greatest accumulation of B, and that there is seasonal variation, Phragmites B physiology is one step closer to being understood.

U-Pb Dating of Fluorite Deposits at Mammoth Mine, Arizona as an Indicator of the Age of Transtensional Stress

[1]

[1]Stony Brook University

Afternoon Poster Session-B2, Fine Arts Lobby, April 26, 2024, 3:00 PM - 4:00 PM

It has been found that elevated fluorine in geothermal systems in the Western United States (WUS) corresponds to transtension. Because fluorite is a common mineral formed from fluorine, the linear distribution of fluorite across the WUS may be evidence for transtention in the geologic past. Prior to 36 million years ago in the WUS, the Farallon plate completely subducted under the North American Plate. This subduction created mountains and

Towards a Universal Chemical Predictor: Predicting □nal states of an atom-diatom collision

_____[1], Dr. Jesus Perez-Rios[1,2]
[1]Department of Physics and Astronomy, Stony Brook University, [2]Institute for Advanced Computational Science

Multi-Year Study Of Salt Marsh Nekton Composition Across Marshes At Di□erent Stages Of Restoration

[1]

[1]Stony Brook University

Afternoon Poster Session-B1, Sagtikos Lobby 1st floor, April 26, 2024, 3:00 PM - 4:00 PM

During the summer of 2021 and 2022, nekton surveys were conducted at four salt marsh sites in Suffolk County, NY to evaluate the efficacy of coastal resiliency restoration efforts. Marsh restoration aimed to facilitate increased water exchange throughout the marsh. An indicator of restoration success is increased Mummichog (Fundulus heteroclitus) abundance. Fish and invertebrate abundance were measured monthly using minnow traps at

Boron Uptake in Common Garden Vegetables

_____[1]
[1]Stony Brook University

Afternoon Poster Session-B1, Sagtikos Lobby 1st floor, April 26, 2024, 3:00 PM - 4:00 PM

Boron has been known to play a critical role in the growth and development of many terrestrial plants but the way it can be supplemented for the benefit of the crops and the environment has yet to be fully understood. This research focused on the utility of seaweed as a fertilizer. Seaweed from three contexts, Moriches Bay, East River, and Ulva, were tested

Creating a Cybersecurity Solution to Deal with Zero-Day Attacks

[1]

[1]SUNY Farmingdale